# THE CLOTHING AND PPE CATALOGUE



Ì

PINS

110

protectivewearuk.com



AT PWS WE ARE 100% COMMITTED TO OUR CUSTOMERS, PROVIDING NOT ONLY QUALITY PRODUCTS, BUT ENHANCING THE CUSTOMER **EXPERIENCE THROUGH DEDICATION TO PROVIDING** SOLUTIONS TO YOUR PROBLEMS USING OUR VAST KNOWLEDGE AND EXPERIENCE. OUR HONEST AND **ON-TIME SERVICE COMPLETES** THIS ATTRACTIVE COMPREHENSIVE PACKAGE.

#### EQUIPMENT CATALO ERSON G ANI HIN CLOTI PROTECTIVE LU I 0

**DUR** VISION

MISSION PWS will be the first choice partner for every customer in the UK.

Align our business relationships to create a frictionless partnership with our customers.

- Our personal attention to you as a valued customer we provide account managers for clear communications.
- Technical back-up and product support with our expert trained advisers. PROMI
  - Innovative solutions including web based IT systems.
  - · Excellent stock availability.
  - All our products comply with European standards where applicable.
  - To respond to your needs in unexpected circumstances, providing a reliable working partnership beyond your expectations.



Email your enquiry to sales@protectivewearuk.com

10 Darklake View, Estover,



2

2

#### MAKE LIFE **EASIER WITH** MYWEB

MAKING YOUR LIFE EASIER - IT IS MORE THAN JUST BEING ABLE TO ORDER ONLINE. MYWEB IS FOUNDED ON OUR CORE CAPABILITIES AND EXPERIENCE IN GARMENT MANAGEMENT. THE MYWEB SYSTEM FUNCTIONALLY BRINGS THIS **KNOWLEDGE RIGHT TO OUR CLIENT'S** FRONT DOOR AT EVERY LEVEL.





FOR MORE INFORMAT		
МҮШЕВ	SEE <b>Pages</b>	4 & 12
MYUNIFORM	SEE <b>P</b> /	AGE 44
MYSTOCKROOM	SEE <b>PA</b>	GE 132
BESPOKE DESIGN	SEE PA	AGE 74
UNIFORM DISPOSAL	SEE <b>PA</b>	GE 171
	$\langle \rangle \rangle \rangle \langle \rangle \rangle \langle \rangle \langle \rangle \rangle \langle \rangle \langle \rangle \langle \rangle \langle \rangle \langle \rangle \rangle \langle \rangle $	/////



SEE PAGES 144-163

SECTION 1 BERTEE WORKWEAR	06-17	
SECTION 2 REDD WORKWEAR	18-25	
SECTION 3 Polo-Shirts & T-Shirts	26-31	
SECTION 4 SWEATSHIRTS & JUMPERS	32-37	
SECTION 5 TROUSERS & COVERALLS	38-49	
SECTION 6 FLEECES & JACKETS	50-63	
SECTION 7 SHIRTS & BLOUSES	64-72	
SECTION 8 HI VIS WORKWEAR	26-90	
SECTION 9 SPECIAL HAZARD WORKWEAR REDD // PROGARM // PWS	92-109	
SECTION 10 FOOTWEAR CHART	110-111	
SECTION 11 HAND PROTECTION H // ATG	112-127	
SECTION 12 EYEWEAR	128-135	
SECTION 13 EAR PROTECTION	136-143	
SECTION 14 <b>RESPIRATORY</b> CleanAIR <sup>®</sup> // BLS	172-175 144-170 136-143 128-135	
SECTION 15 HEAD PROTECTION	172-175	

ONTENT

SECTION 16 WORKPLACE SAFETY

#### THE FULL BENEFITS OF THIS ONLINE **ORDERING SYSTEM ARE NUMEROUS:**

- The ability to only show approved products as selected by Health & Safety Department.
- The ability to restrict colours and type of garments with company logos to those selected by your marketing department.
- Keeping consistency of your corporate image.
- Full visibility of stock levels.
- Budget control is available, restricting order value to levels selected by your finance department. Orders above budget level can be authorised by senior managers.
- Authorisation approval for order if required.
- Full order history and reporting is available 24/7 and more ..

TO FIND OUT MORE ABOUT MYWEB

#### T: 01752 266374 E: sales@protectivewearuk.com

Having over 40 years experience in picking, packing, and dispatch systems means our customers receive a market leading delivery service from our warehouse and office complex in Plymouth. Furthermore we are constantly analysing and improving our operations to increase efficiency & enhance our cutting edge services.

#### We are certified to:

**NEW** 

- • ISO 9001 (Quality Management Systems),
- ISO 14001 (Environmental Management
- Systems) and
  - ISO 45001 (Occupational Health & Safety)

M .giving you the assurance you need of our commitment to our service levels, safety standards and an environmentally sustainable ( )

future.





COMFORTABLE, HARD WEARING, VALUE FOR MONEY WORKWEAR

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

C.

Safety · Clothing · Cleaning

// BERTEE PREMIUM POLYCOTTON PIQUE

// BERTEE INTERACTIVE SOFTSHELL JACKET

POLO-SHIRT

WORKWEAH HAR



#### THE NEW BERTEE CRAFTSMAN LITE HOLSTER POCKET RANGE, DESIGNED TO KEEP YOU COMFORTABLE...

- Lightweight, comfortable specialist holster pocket trousers and shorts
- Constructed with lightweight ripstop polyester cotton for extra durability and snag resistance
- Fold-away holster pockets
- All seams bar tacked at stress points
- 3 panel leg design for extra manoeuvrability
- Top-entry kneepads insert pockets (trousers only)
- Cordura 
   <sup>®</sup> top loading adjustable kneepad pockets on trousers will fit Snickers floor lavers kneepad

#### **NOW AVAILABLE**

BLACK

6 2 m F ECIALIST 0 5

NEW & EXCLUSIVE

-

CONSTRUCTED WITH RIPSTOP LIGHTWEIGHT BREATHABLE **FABRIC FOR** A COMFORTABLE FIT AND ALLOWING FREEDOM OF MOVEMENT WHILST YOU WORK! AVAILABLE IN BLACK WITH SUBDUED CONTRAST

STITCHING. PLEASE CALL US ON

- 01752 266 374 IF YOU WOULD LIKE TO ORDER ANOTHER
- COLOUR

TOP ENTRY KNEEPAD **INSERT POCKETS** 



- Unique ability to permanently remove the holster pockets without affecting the integrity of the garment
- Pockets for everything including cut off or fold away holster pockets, smart phone pocket, gusseted leg and rear pockets, nammer loop, ruler pocket, pen/pencil division, velcro tool attachment positions. All pockets reinforced with Cordura®
- Reflective logo and stripes carefully positioned on one of the side pockets and behind the knees (trousers only) Triple stitched seams for durability
- High quality YKK brass z
- Suitable for all tradesmen and related roles including electricians, plumbers, carpet or floor layers, carpenters, builders, brick layers, painters and decorators
- Leg Lengths
  - Trousers: S (29"), R (31"), T (33") Shorts: Above the knee plus 1" drop down leg extensions
- Lifetime Quality Guarantee
- Guaranteed against faulty zips, seams and fastenings for the lifetime of the garment.

CODE	DESCRIPTION	WAIST SIZE
CLT-2017	BERTEE Craftsman Lite Ripstop Holster Trouser	28" - 50"
BCS-834	BERTEE Coolite Holster Pocket Shorts	28" to 48"

(NS) ITEM NOT STOCKED AVAILABLE TO ORDER

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

### BERTEE TRADESMAN HOLSTER POCKET TROUSER

A versatile multi pocket style trouser.

- Bar tacked seams at all stress points
- Constructed with Carrington high quality fabric
- High quality Cordura<sup>®</sup> fabric (2/3x stronger)
- Side waistband elastication for comfort
- Fold-away Cordura<sup>®</sup> holster pockets
- Leg lengths: S (29"), R (31"), T (33")
- Fabric: 65% Polyester, 35% Cotton: 245gsm • Drop down hem on all leg lengths, giving an extra 20mm when you need it

#### **BERTEE CARGO POLYCOTTON KNEEPAD TROUSER**

A versatile kneepad cargo trouser

- Lifetime Guarantee against faulty workmanship
- Bar tacked seams at all stress points
- Constructed with Carrington high quality fabric
- Side waistband elasticated for comfort
- Internal kneepad pockets
- Leg lengths available: S (29"), R (31"), T (33")
- Fabric: 65% Polyester, 35% Cotton: 245qsm
- Drop down hem on all leg lengths, giving an extra 20mm when you need it



**KNEE PAD INSERT MULTI-USE SIDE** POCKETS POCKETS

CODE	DESCRIPTION	WAIST SIZE
CTR-7479	Bertee Cargo PolyCotton Kneepad Trouser	28" - 50"

NAVY

NAVY

POCKETS CODE



MULTI-USE SIDE

POCKETS

WAIST SIZE

28" - 50"

**KNEE PAD INSERT** 

Navv Black

11)





High quality premium polo-shirt.

- Cuffed short sleeves
- Triple stitched on all main seams for durability
- Half moon yoke for increased strength
- Fabric: 50% Cotton, 50% Polyester: 220qsm

#### **PLUS**

(in)

3.FLEECE SOFTSHELL & JACKETS

SAFETY FOOTWEAR

Discuss your footwear needs today on 01752 266

- Set budget controls for employees or departments
- See your orders have priority treatment jumping the queue
- See your own special prices
- Know stock availability
- Custom built see only the products you regularly want to order?

FOLLOW US ON LINKEDIN FOR THE LATEST NEWS

**TO FIND OUT MORE CALL OUR FRIENDLY CUSTOMER SERVICE TEAM ON 01752 266374** 

WEB

NY CATALOGUE EFFICIENT EFFICIENT CONTROLLED

DRDERING

PLACE & RECEIVE ORDERS FASTER, EASIER, ACCURATELY AND WITHIN BUDGET.



Bertee Premium PolyCotton Pique RK13



NAVY

BLACK

#### BERTEE ELEMENTS BREATHABLE RIPSTOP FLEECE LINED JACKET

Stylish bomber jacket.

- Waterproof and breathable Bertex 3000/3000 fabric with TPU membrane
- Taped seams
- Concealed three panel foldaway adjustable hood
- Adjustable draw corded hem
- 2 zipped warm lined lower pockets
- Double storm flap
- Polyester fleece body lining
- Polyester lined insulated sleeves
- 2 inner security pockets, one for mobile phone
- Adjustable cuffs and hem

DESCRIPTION

Fleece Lined Jacket

BRJ-301

Navy

Bertee Elements Breathable Ripstop

SIZE

XS-6XL

#### BERTEE AMPHIB BREATHABLE 3 IN 1 JACKET

High quality breathable jacket.

- Waterproof and breathable Bertex 5000/5000 fabric with TPU membrane
- Windproof fabric
- Mesh lined body
- Taped seams
- 180 grm anti-pill fleece with jersey backing
- Concealed hood with adjusters
- Velcro stormflap
- Adjustable cuffs
- 2 lower zipped handwarmer pockets with fleecy lining
- Adjustable shock corded hem
- Concealed zip entrance in lining for embroidery access
  - Fleece cuffs
- 'Easy-on doff-don' feature jersey type lining makes it easier to put on and take off



 
 CODE
 DESCRIPTION
 SIZE

 WPJ-130
 Bertee Amphib Breathable 3 in 1 Jacket
 S-XXXL

5





- PRVS

E INTERACTIVE

BERTEE I SOFTSHE

#### **BERTEE YETI FUR-LINED ZIPPED SWEATSHIRT**

#### Comfortable and warm sweathshirt

- Luxurious warm faux fur lining
- Elasticated cuffs with thumb grip and wristband
- Inside large pocket suitable to hold a tablet
- Well padded, taped neckline for comfort
- Half-moon yoke at neck
- Very comfortable to wear
- Durably stitched on all main seams for ultimate strength

CODE	DESCRIPTION	SIZE	
FUR- 1285	Bertee Yeti fur-lined zipped sweatshirt	XS-4XL	

- NEW & IMPROVED Interactive zip **3 LAYER** High performance 3 layer softshell fabric Water resistant and breathable Executive style Adjustable cuff design Three external pockets with zip closures Internal phone pocket Elasticated hem and side adjusters Twin stitched seams for durability Fabric: 92% Polyester, 8% Elastane CODE DESCRIPTION SIZE SS-642 Bertee Softshell Jacket S-4XL Navv Black Interactive zip Softshell Jacket Soft luxurious quality microfleece Soft cuff design: no discomfort Two external pockets with zip closures
  - Two internal pockets
  - Elasticated hem and side adjusters
  - Twin stitched seams for durability
  - Fabric: 100% Polyester: 300qsm

CODE	DESC	RIPTION	SIZE
FLJ-53	32 Berte	e Fleece Jacket	XS-5XL



protectivewearuk.com



Brushed fleece inner

- Half moon yoke for increased strength
- Padded and taped neckline for comfort
- Triple stitched on all main seams
- for durability

Navy Graphite

5

CODE	DESCRIPTION	SIZ
RK28	Bertee Premium Drop Shoulder Sweatshirt	XS

- Fabric: 65% Polyester, 35% Cotton: 320qsm







**BERTEE** SWEATSHIRT



Offering breathable, comfortable fabrics and innovative designs that focus on wearer comfort, REDD is a brand of flame retardant, anti-static and arc protection clothing. Thoughtfully designed, durable and eminently practical, REDD provides a value for money alternative to other well-known brands.

(in)

m

# WORK

LADIES

#### TAAL LADIES NOMEX COVERALL/ YALI MEN'S **NOMEX COVERALL**

Inherent flame retardant, anti static, arc rated coverall.

- Effectively shields the wearer from the onset of body burns
- Provides a high thermal protection in
- relation to their weight.
  Retains their protective performance and appearance even after 200 washes
  Contains P-140 antistatic carbon fibre
- which provides a permanent effective solution to the build up of static electric charge
- **Fabric:** 93% meta-aramid, 5% para-aramid, 2% anti-static 185gsm

- Effectively shields the wearer from the onset of body burns
- · Provides a high thermal protection in relation to their weight.
- Retains their protective performance and appearance even after 200 washes
- Contains P-140 antistatic carbon fibre which provides a permanent effective solution to the build up of static electric charge
- Fabric: 93% meta-aramid, 5% para-aramid, 2% anti-static 220qsm

CODE

RDFRNXCTR

RDFRNX902

RDFRNX905



REDD PICO FR AS Nomex Mens Cargo Trousers

REDD EGON FR AS Nomex Mens Kneepad Trousers

REDD LOLO FR AS Nomex Ladies Kneepad Trousers



Short (29")

Reg (31"),

Tall (33")

Short (27")

Reg (29"),

Tall (31")

28" - 56"

10 - 22

protectivewearuk.com

-REWS

PICO NOMEX CARGO TROUSERS

EGON / LOLO NOMEX KNEEPAD TROUSERS

 $\sim$ 

- EN STANDARDS
- EN 11612:2008 A1 B1 C1 EN 1149-3:2004
- EN 61482-1-1
- EN 61482-1-2 Class 1

CODE	DESCRIPTION	SIZE
RDFRNXFBS	REDD TAAL FR AS Nomex Ladies Coverall	10 - 18
RDFRNXBS	REDD YALI FR AS Nomex Mens coverall	XS - 5XL



MENS





FUJI FR AS THERMAL Long Johns

# 

Inherent flame retardant, anti static, arc rated, long sleeve soft handle polo shirt.

- Soft handle fabric, longline style with shaped hem for improved coverage and protection
- 3 Button concealed placket, lay flat collar
- Raglan sleeve design for greater freedom of movement
- Ribbing of collar prevents curling

Fabric: 58% Nomex / 42% Viscose FR Weight: 250 gms

#### EN STANDARDS

- EN ISO 11612:2008 / A1 B1 C1
- EN 1149-3:2004
- IEC 61482-2: 2009

CODE	DESCRIPTION	SIZE
RDFRRK14	REDD FR AS Mens Polo	S - 5XL

- Well designed and super lightweight and comfortable on the skin, so that it can be worn all day
- Soft handle fabric, front fly, elasticated ankle band for superior comfort
- Anti-bacterial finish
- Excellent moisture wicking properties





.

.



- EN 1149-3:2008
- EN ISO 13688:2013





REDD ABU FR AS Thermal

Well designed and super lightweight and comfortable

Soft handle fabric, longline style with shaped hem for

Raglan sleeve design for greater freedom movement

S-5XL

on the skin, so that it can be worn all day

improved coverage and protection Ribbed cuffs with thumb hole

Excellent moisture wicking properties DESCRIPTION

Long Sleeve T-Shirt

Anti-bacterial finish

RDFRTH/LSTS

• EN 1149-5: 2008

• EN 1149-3:2008

• EN ISO 13688:2013

The MOTI Sweatshirt has been crafted with REDD technology, offering a light, comfortable and anti-bacterial material whilst giving a high level of protection against

- Raglan Sleeves ٠
- . Ribbed Cuffs
- Long Line .
- Thumb Holes

Fabric: 55% Protex 43% Cotton 2% AST 280qsm

CODE DESCRIPTION SIZE RDFRRK28 REDD MOTI FR AS Sweatshirt XS-5XL





- EN ISO 13688:2013

1111111

heat and flames.

- .



- PAGO FR AS PREMIUM LINED FLEECE  $\sim$ FOGO FR AS HV WATERPROOF JACKET
- CODE DESCRIPTION SIZE REDD SABA FR AS HV Premium RDFRASSS S-6XL Softshell NS 🔞 🖢 🏯 🗳 🍯 Orange/ Black EN STANDARDS EN 20471 Class 3 EN 11611 EN 11612 EN 1149-5 EN 61482-2 EN 13034 Double sided fleece for warmth and comfort. Elasticated cuffs. Concealed front zip. 2 front side pockets with zip closure. Elasticated draw cord waist adjuster. British Manufactured. CODE DESCRIPTION RDFRFLJ532 REDD PAGO FR AS Premium Lined XS-5XL Fleece EN STANDARDS EN ISO 11612

Delivering comfort through water repellant, wind

2 external zipped lower pockets
1 zipped chest pocket

Internal phone pocket and 2 pen pockets

resistant 2-layer softshell fabric and a storm flap.

<u>له</u> ک

SIZE

- Unpadded lightweight jacket
- Concealed phone pocket
- Pack away hood

EN 1149

Black

- Radio Loop
  Internal chest pocket
- Knitted cuff
- CODE DESCRIPTION

RDFRWPJ REDD FOGO FR AS HV Breathable XS-5XL Waterproof Jacket

#### EN STANDARDS

Orange/ Black

- EN 14116
  EN 1149
  EN 20471 Class 3
  - EN 343 3:3





- Designed and manufactured specifically for the construction and utility sector
- Good abrasion resistance for handling materials
   associated with power and hand tools
- Made from quality, hard wearing, supple hide leather which gives good dexterity and is breathable
- Suitable for dry handling work
- Lined for comfort and cold
- Gives protection against all thermal hazards
- Extended cuff for complete protection
- Full size range, including ladies, sizes 7 13
- Colour fast dying process

#### CODE DESCRIPTION

2036/EX REDD NASU Lined Drivers Glove

#### EN STANDARDS

EN388 3233A
EN407 433221

SIZE

7 - 13



protectivewearuk.com

- PRVS



POLOS & T-SHIRTS



#### **SUPER 180GSM 100% COTTON T-SHIRT**

Top quality hardwearing t-shirt.



CODE DESCRIPTION TS-1000 Cotton T-shirt

NAVY

FOLLOW US ON LINKEDIN FOR THE LATEST NEWS

#### Note: More colours are available to order



SIZE

XS-5XL

- Cuffed short sleeves
- Triple stitched on all main seams for durability .
- Half moon yoke for increased strength .
- Matching ladies available 1160-10
- Fabric: 50% Cotton, 50% Polyester: 220gsm

#### DESCRIPTION

RK13	Premium 220gsm PolyCotton Pique Polo-shirt	XS



 BERTEE PREMIUM
 POLYCOTTON PIQUE
 POLO-SHIRT 

- Cuffed short sleeves
- Triple stitched on all main seams for durability .
- Half moon yoke for increased strength .
- Matching mens available RK13
- Fabric: 50% Cotton, 50% Polyester

Navy Graphite Lilac White Ash

DESCRIPTION SIZE CODE Premium Ladies 220gsm PolyCotton 8-22 1160-10 Polo-shirt





- Knitted collar with rod design
- Half moon yoke at neck for increased strength .
- . Cuffed sleeves with matching rod design
- Self coloured placket, with matching . pearlised buttons
- Triple stitched on all main seams for ultimate strength
- Fabric: 100% 200gsm Wicking Polyester





29

# SILVERSTONE PREMIUM POLO-SHIRT

 $\mathbf{X}$ 

REDD FR AS POLO Shirt

 $\sim$ 

30

-ARVS

PREMIUM LONG SLEEVE POLO-SHIRT

 $\sim$ 

- Well designed and super lightweight and comfortable on the skin, so that it can be worn all day Soft handle fabric, longline style with shaped hem for
  - improved coverage and protection
  - Ribbed cuffs with thumb hole
  - Raglan sleeve design for greater freedom movement
  - Anti-bacterial finish
  - Excellent moisture wicking properties

#### DESCRIPTION

REDD ABU FR AS Thermal S-5XL RDFRTH/LSTS Long Sleeve T-Shirt





protectivewearuk.com



- Reinforced sleeve hem for durability
- .
- ٠
- Lightweight material

TH/V-SS Thermal Short Sleeve Vest









- . Reinforced sleeve hem for durability
- Soft, polyester viscose fibre .
- Excellent insulation against cold conditions .
- Lightweight material
- Fabric: 50% Cotton, 50% Polyester

CODE DESCRIPTION TH/V-LS Thermal Long Sleeve Vest

FOR ANY ENQUIRIES CALL PWS ON 01752 266374



**C** 









- Excellent insulation against cold conditions
- Fabric: 50% Cotton, 50% Polyester

CODE DESCRIPTION







- Triple stitched on all main seams for durability with knitted cuffs
- Half moon yoke for increased strength
- Fabric: 50% Cotton, 50% Polyester

DESCRIPTION SIZE Premium Long Sleeve Polo-shirt S-3XL NS Navy NS NS NS NS NS Ash White Bottle Red

protectivewearuk.com

- Taped neckline for comfort
- Half moon yoke for increased strength

DESCRIPTION

1180-10 Silverstone Premium Polo-shirt

- Cuffed short sleeves
- Self-colours placket, with matching pearlised buttons
- Triple stitching on all main seams for ultimate strength
- Matching Silverstone sweatshirt, softshell, and fleece available
- Fabric: 50% Polyester, 50% Cotton: 220gsm

NS Black Red NS Navy Royal NS Black Orange NS NS NS NS Black Lime NS NS Bottle Black Black Grey Navy Red Grey Black

SIZE

XS-5XL

· Inherent flame retardant, anti static, arc rated, long sleeve soft handle polo shirt.

- Soft handle fabric, longline style with shaped hem for improved coverage and protection
- · 3 Button concealed placket, lay flat collar • Raglan sleeve design for greater freedom of
- movement Ribbing of collar prevents curling

Fabric: 58% Nomex / 42% Viscose FR 250 gms Weight

CODE DESCRIPTION SIZE RDFRRK14 REDD FR AS Mens Polo S - 5XL



SIZE

S-3XL

















## **PREMU** SWEATSH


#### BERTEE PREMIUM DROP SHOULDER SWEATSHIRT

#### Top grade sweatshirt.

- Brushed fleece inner
- Half moon yoke for increased strength
- Padded and taped neckline for comfort
- Triple stitched on all main seams
- for durability
- Fabric: 65% Polyester: 35% Cotton: 350gsm



- Elasticated cuffs, neckline and waistband
- Well padded, taped neckline for comfort
  Half moon yoke at neck. Set in sleeve styling
- Triple stitched on all main seams for ultimate strength
- Fabric: 65% Polyester, 35% Cotton: 320gsm





SWEATSHIRTS & JUMPERS

- Elasticated cuffs, neckline and waistband
- Brushed fleece inner
- Well padded, taped neckline for comfort
- Half moon yolk at neck
- Set in sleeve styling. Ideal for corporate logos and very comfortable to wear
- Triple stitched on all main seams for ultimate strength
- Matching Silverstone Poloshirts available
- Fabric: 65% Polyester, 35% Cotton: 350gsm

CODE	DESCRIPTION	SIZE	
1290-15	Silverstone Premium Sweatshirt	XS-5XL	

NS	NS	NS	NS	NS	NS	NS	NS	NS	
		Black Orange		Navy Royal	Navy Red	Bottle Black	Grey Black	Navy Sky	





Brushed fleece inner

**N** 

- Half moon yoke for increased strength
- Padded and taped neckline for comfort
- Triple stitched on all main seams for durability
- Fabric: 65% Polyester, 35% Cotton: 350gsm

CODE		DESC	RIPTION			SIZE
RK22		Prem	ium V-r	neck Sw	eatshirt	XS-3XL
NS	NS		NS	NS	NS	
Ash	Black	Navy	Bottle	Red	Royal Blue	



Red

Royal Sky Burgundy Blue Blue

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

- <b>1</b>
$\mathbf{r}$
0
_
00
0
<b>U</b> 1
$\mathbf{r}$
_
_
_
-

S

LADIES V-NECK BUTTON CARDIGAN

 $\sim$ 

LADIES CREW-NECK CARDIGAN

in

V-NECK KNITTED SWEATER

 $\sim$ 

- PRIVS

protectivewearuk.com

.

.

•

CODE

710M

Black French Navy

NS

Elastane trim retains shape and look

V-neck Knitted Sweater

DESCRIPTION



<ul> <li>Shell effect buttons</li> <li>Shaped at waist for a feminine fit</li> <li>Fabric: 50% Cotton, 50% Acrylic</li> </ul>								
CODE	DESCRIPTION	SIZE						
H723	Ladies V-neck Button Cardigan	XXS-4XL						
Black Navy	NS Grey							
<ul><li>Tubular</li><li>Contrast</li></ul>	neck & placket cuff & hem t inner neck strip 60% Cotton, 40% Acrylic							
CODE	DESCRIPTION	SIZE						
2308	Ladies Crew-neck Cardigan	XS-3XL						
	NS NS NS NS Light Royal Charcoal Fuscia Blue							

Set-in sleeve styling. Ideal for corporate logos Fabric: 50% Cotton, 50% Acrylic Blend: 275gsm

SIZE

XS-4XL

CODE		DESCRI	PTION		
2307		Ladies \	/-Neck	Jumper	
		NS	NS	NS	NS
Black	Navy	Light Blue	Royal Blue	Charcoal	Fuscia

• Ribbed placket, hem & cuff

DESCRIPTION

NS

Ladies V-Neck Cardigan

Light Royal Charcoal Fuscia Blue Blue

NS

NS

 Contrast inner neck strip • Fabric: 60% Cotton, 40 Acrylic

Contrast inner neck strip

• Fabric: 60% Cotton, 40 Acrylic

• V-neck Ribbed neck Tubular cuff & hem

12 gauge knit



SIZE

XS-3XL

SIZE

XS-3XL

LADIES V-NECK JUMPER



LADIES V-NECK CARDIGAN  $\sim$ 

 V neck Long sleeve

• V-neck

CODE

2309

Black Navy

12 gauge knit

- Ribbed neck, cuff & hem
- Contrast inner neck strip
- Fabric: 60% Cotton, 40 Acrylic 12 gauge knit

CODE	DESCRIPTION	SIZE
7818	Men's V-neck Jumper	S-3XL





#### FOR ANY ENQUIRIES CALL PWS ON 01752 266374

protectivewearuk.com

-ARWS

#### EN STANDARDS

EN 14404 Knee protection for work in the kneeling position

TYPE 1: Strap Knee Pads TYPE 2: Inserts

The level of protection ranges from a level 0 to a level 2 which offers the greatest protection.

#### LIMITED LIFE DISPOSABLE CLOTHING

TYPE 1: Gas-tight clothing TYPE 2: Non-gas tight clothing TYPE 3: Liquid-tight clothing TYPE 4: Spray-tight clothing TYPE 5: Particle-tight clothing TYPE 6: Limited splash-tight clothing



// LEMBERG LIGHTWEIGHT TRADESMAN TROUSER

// BERTEE TRADESMAN HOLSTER POCKET TROU-SER

11 IN

OVERALLS OVERALLS - RAVS

CARGO CARGO

BERTEE ( KNEEPAL

 $\sim$ 

protectivewearuk.com

in



FOLLOW US ON LINKEDIN FOR THE LATEST NEWS

- Bar tacked seams at all stress points .
- Constructed with Carrington high quality fabric
- Side waistband elasticated for comfort
- Internal kneepad pockets
- Durable YKK zip

.

- Fabric: Polycotton: 245qsm .
- Leg lengths available: S (29"), R (31"), T (33")
- Black (contrast white stitching)
- Navy (Navy stitching) .
- 2 Year Guarantee against faulty workmanship
- Drop down hem on all leg lengths, giving an extra 20mm when you need it

#### DESCRIPTION CODE

Bertee Cargo PolyCotton CTR-7479 28" - 50" Kneepad Trouser

WAIST SIZE

Black	Navy

- Bar tacked seams at all stress points . Constructed with Carrington high quality fabric
- High quality Cordura® fabric at high wear points
- Side waistband elasticated for comfort
- Fold-away Cordura® holster pockets
- Cordura® external kneepad pockets, 2-3 times more durable than most fabrics
- Durable YKK zip
- Smartphone pocket
- Gusseted leg pockets
- Fabric: Polycotton: 245gsm
- Leg lengths available: S(29"), R(31"), T(33") .
- Black stitching (Black)
- Navy stitching (Navy)
- 2 Year Guarantee against faulty workmanship Drop down hem on all leg lengths, giving an extra 20mm when you need it

CODE	DESCRIPTION	WAIST SIZE
HPT-10131	Bertee Tradesman Holster Pocket Trouser	28" - 50"

#### **BERTEE CRAFTSMAN LITE** RIPSTOP HOLSTER TROUSER & SHORTS

- Lightweight, comfortable specialist holster pocket trousers and shorts
- Constructed with lightweight ripstop polyester cotton for extra durability and snag resistance
- Fold-away holster pockets
- All seams bar tacked at stress points
- 3 panel leg design for extra manoeuvrability
- Top-entry kneepads insert pockets (trousers only)
- Cordura <sup>®</sup> top loading adjustable kneepad pockets on trousers will fit Snickers floor layers kneepad
- Unique ability to permanently remove the holster pockets without affecting the integrity of the garment
- Pockets for everything: all reinforced with Cordura®
- Reflective logo and stripes carefully positioned on one of the side pockets and behind the knees (trousers only)
- Triple stitched seams for durability
- High quality YKK brass zip

Black

**S** 

- Leg Lengths: Trousers: S (29"), R (31"), T (33")
  - Shorts: Above the knee plus 1" drop down leg extensions
- Lifetime Quality Guarantee
- Guaranteed against faulty zips, seams and fastenings for the lifetime of the garment.

CODE	DESCRIPTION	WAIST SIZE
CLT-2017	BERTEE Craftsman Lite Ripstop Holster Trouser	28" - 50"
BCS-834	BERTEE Coolite Holster Pocket Shorts	28" to 48"





- Slight elastication at side of waistband -. very comfortable to wear Multiple pockets with extra strong lining
  - including 2 front & 2 rear pockets Combat style leg pockets, mobile phone pocket on thigh
  - Heavy duty non-scratch fixing stud on waistband
  - Triple stitched on main seams for ultimate strength .
  - . Leg lengths: S (29"), R (32"), T (35")
  - Fabric: 65% Polyester, 35% Cotton: 245gsm

CODE	DESCRIPTION	WAIST SIZE
2500-15.0	Condor Kneepad Combat Trouser	28"-52"



- Internal kneepad pockets
- Slight elastication at sides of waistband .
- Multiple pockets with extra strong lining . including 2 front & 2 rear pockets
- Combat style leg pockets, mobile phone pocket on thigh
- Heavy duty non-scratch fixing stud on waistband
- Triple stitched on main seams for ultimate strength • One Hi Vis 50 mm reflective band on each leg (2505-15)
- Two Hi Vis 50 mm reflective band on each . leg (2510-15)
- Leg lengths: S (29"), R (32"), T (35")
- Fabric: 65% Polyester, 35% Cotton: 245gsm .
  - DESCRIPTION WAIST SIZE Considera Considerate Karanana di Tan

2505-15					ingle l	Ser Band)	28"	-52"	
									• • •

Condor Combat Kneepad Trouser 2510-15 28"-52" with Reflective Bands (Double Band)





- Slight elastication at side of waistband very comfortable to wear
- Multiple pockets with extra strong lining including 2 front & 2 rear pockets
- Combat style leg pockets, mobile phone pocket on thigh
- Heavy duty non-scratch fixing stud on waistband
- . Triple stitched on main seams for ultimate strength
- Leg lengths: R (29"), T (31") .
- Fabric: 65% Polyester, 35% Cotton: 245gsm

CODE	DESCRIPTION	SIZE
2560-15	Ladies Condor Kneepad Combat Trouser	6-24



including 2 front & 2 rear pockets Combat style leg pockets, mobile phone pocket on thigh

• Multiple pockets with extra strong lining

- The Ballistic Fabric conforms to EN388, Cut Level 2 offering greater protection for the wearer.
- High quality brass YKK zip

Royal

NS NS NS

**S** 

Bottle Navy

- Leg lengths: S (29"), R (32"), T (35")
- Fabric: 65% Polyester, 35% Cotton: 245gsm .

CODE	DESCRIPTION	WAIST SIZE
3700	Vulture Ballistic Trouser	28"-52"



VULTURE BALLISTIC TROUSER

**TROUSERS & COVERALLS** 

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

(in)





Easy to wear 'Jeans' styling

NS

Black

S817

White

NS

Bottle Graphite Navy

Hip and rule pockets

Elasticated back waist

Leg lengths: R(31") T(33")

DESCRIPTION

Cargo Trouser

Fabric: 100% Cotton: 305qsm

phone pocket

- Multiple pockets with extra strong lining, including two front and two rear pockets, combat leg and rule pockets
- Heavy duty non-scratch fixing stud on waistband
   Triple Stitched on all main seams for ultimate
- strength
- Fabric: 65% Cotton, 35% Polyester: 245gsm

CODE	DESCRIPTION	WAIST SIZE
2000-15	Sparrowhawk Combat Shorts	28"-52"

Multi layered thigh pocket with mobile

Painters Cotton Kneepad Cotton

SIZE

S-3XL

NS

NS

Roya





/ PAINTERS COTTON KNEEPAD CARGO TROUSER

- Hook and bar fastening with zip fly
- 7 belt loops
- 2 side swing pockets
- Single rear welted pocket
- Self fabric pocket bags
- Leg length: Reg, Tall
- Fabric: Polycotton: 245gsm





in FOLLOW US ON LINKEDIN FOR THE LATEST NEWS



DICKIES REDHAWK
 POLYCOTTON
 BOILERSUIT

PAINTERS POLYCOTTON BIB & BRACE

 $\mathbf{i}$ 

 $\mathbf{X}$ 

#### protectivewearuk.com

- Reinforced knee pouches for insert knee pads . .
- Metal zip, with studded over
- placket + Two zipped chest pockets Tool pocket and rule pocket
- Two swing pockets with side access
- . . Full back elastication and an action back
- Leg lengths: R (32"), T (35")
- Fabric: 65% Polyester, 35% Cotton: 300gsm .



A	
	•
	•
1.5	•
	<b>COD</b> WD
	WD
13	NS
R	NS Navy
23	

<ul> <li>Zip with placket</li> <li>Two side pockets</li> <li>Rule pocket</li> <li>Knee pad pocket</li> <li>Large back patch pockets</li> <li>Access slits with press studs</li> <li>Fabric: Polycotton: 245gsm</li> </ul>				
CODE	DESCRIPTION	SIZE		
WD650	Painters PolyCotton Bib & Brace	32"-52"		
NS Navy White				

Two chest pockets

Elasticated waist Fabric: 65% Polyes

NS Royal Spruce Blue

Rule pocket

. .

.

CODE

77R/P

NS

Navy



nest pockets ocket ated waist : 65% Polyester, 35% (	Totton: 210gsm
DESCRIPTION	SIZE
Contractors PolyCotton Boilersuit	36"-60"
NS Spruce	

#### POLYCOTTON ZIP FRONT BOILERSUIT The workman's boilersuit

- Concealed stud front fastening
- 2 breast pockets with stud fastening flaps
- Hip and rule pockets
- Side elasticated and an action back
- 2 side swing pockets, with trouser access
- Leg length: Reg, Tall

RED

CODE

W101

NS

DESCRIPTION

NS NS

PolyCotton Boilersuit

NS

Black Bottle Burgundy Grey Red Navy Royal Spruce White

• Fabric: Polycotton: 245gsm

ROYAL BLUE

NAVY

SIZE

NS

92-156cm

NS NS



<ul><li>Strong fa</li><li>Elasticate</li></ul>	le and liquid repellent	<b>a</b> -
CODE	PG6/30	
DESCRIPTION	Disposable Coverall Type 5 & 6	25-11
SIZE	M - XXL	
EN STDS	EN 13982-1 Type 5 EN 13034 Type 6 EN 1073-2 EN 1149 -5	
White		
<ul> <li>Lightweight disposable chemical suit for protection against splashes and sprays of hazardous chemicals in type 3 and type 4 applications.</li> <li>Stitched and PE taped seams</li> <li>Coverall with hood, knee padding, double layer</li> </ul>		

- flaps and double zippers.
- Adhesive tape on outer flap.
- Elasticated hood opening, cuffs and ankles.

#### CODE PG6/56WS DESCRIPTION Chemical Disposable Coverall Type 3 & 4 SIZE S - XXXL EN 13688:2013

	EN 13688:2013
	EN14605
	EN13982-1
N STDS	EN14126
	EN13034
	EN1149-5
	EN 1073-2



White

S



# COVERALL TYPE 3 & 4

-ARWS

SMS GP TYPE 5/6 COVERALL

protectivewearuk.com

#### • High levels of abrasion and tear resistance

ODE	TYB/WH
ESCRIPTION	Tyvek Disposable Coverall Type 5/6
IZE	M - XXXL
N STDS	EN13982-1 Type 5. EN13034 Type 6 EN1073-2 EN 1149-1
7	





FLEECES & JACKETS





REGATTA MENS BENSON II BREATHABLE WATERPROOI

 $\sim$ 

TORMFLEX WATERPROOF PU RANSFER COATED TROUSER FLEECES & JACKETS



T

#### STORMFLEX PU COATED TRANSFER JACKET

#### Ultimate waterproof jacket.

- Breathable PU Tricot fabric
- Concealed hood
- Studded double stormflap
- Lightweight fabric and studded double storm flap
- Welded seams



CODE	DESCRIPTION	SIZE
TRW421	Stormflex PU Coated Transfer Jacket	S-3XL

NS NS Navy Olive Yellow



- Mesh lined upper body
- Windproof fabric/taped seams
- Concealed hood with adjuster
- Studded stormflap
- Adjustable cuffs
- 2 lower pockets with zipped handwarmers and 2 lower cargo pockets
- Internal security pocket
- Zipped chest pocket
- Adjustable shockcord waist and hem







- High quality
- High qualityWaterproof

NS

Black Navy

- Welded seams
- Fully elasticated waist
- Stud adjustable ankle
- **Fabric:** Tricot knit with breathable PU coating: 185gsm

CODE DESCRIPTION

TRW356 Stormflex Waterproof PU Transfer Coated Trouser S-3XL







SIZE

> SEE PAGES 76 - 90 FOR THE FULL RANGE

#### FOLLOW US ON LINKEDIN FOR THE LATEST NEWS

### BERTEE ELEMENTS BREATHABLE RIPSTOP FLEECE LINED JACKET

Stylish bomber jacket

- Waterproof and breathable Bertex 3000/3000 fabric with TPU membrane
- Taped seams
- Concealed three panel foldaway adjustable hood
- Adjustable draw corded hem
- 2 zipped warm lined lower pockets
- Double storm flap

CODE

Black Navy

BRJ-301

DESCRIPTION

Fleece Lined Jacket

Bertee Elements Breathable Ripstop

SIZE

XS-6XL

- Polyester fleece body lining
- Polyester lined insulated sleeves
- 2 inner security pockets, one for mobile phone
- Adjustable cuffs and hem

#### BERTEE AMPHIB BREATHABLE 3 IN 1 JACKET

High quality breathable jacket.

- Waterproof and breathable Bertex 5000/5000 fabric with TPU membrane
- Windproof fabric
- Mesh lined body
- Taped seams
- 180 grm anti-pill fleece with jersey
- Concealed hood with adjusters
- Velcro stormflap
- Adjustable cuffs
- 2 lower zipped handwarmer pockets with fleecy lining
- Adjustable shock corded hem
- Concealed zip entrance in lining for embroidery access
- Fleece cuffs
- 'Easy-on doff-don' feature jersey type lining makes it easier to put on and take



CODE DESCRIPTION Bertee Amphib Breathable 3 in WPJ-130 S-XXXL 1 Jacket





#### BERTEE YETI FUR-LINED ZIPPED SWEATSHIRT

#### Comfortable and warm sweathshirt

- Luxurious warm faux fur lining
- Elasticated cuffs with thumb grip and wristband
- Inside large pocket suitable to hold a tablet
- Well padded, taped neckline for comfort
- Half-moon yoke at neck
- Very comfortable to wear
- Durably stitched on all main seams for ultimate strength

- Concealed hood with adjuster .
- Fleece lined with taped seams and stormflap Windproof fabric with Thermo-Guard
- insulation in sleeves
- Adiustable cuffs .
- Lower patch security pockets and 2 lower . zipped pockets
- Fabric: Waterproof Hydrafort 5000 polyester fabric

CODE	DESCRIPTION	SIZE
TRW297	Dover Fleece-Lined Jacket	XS-4XL
	NS NS NS	





- Durable water repellent finish
- . Part mesh, part polyester lining
- taped seams .
- Elasticated and drawcord waist .
- Zip opening at ankle
- Available in Short, Reg and Tall leg
- Fabric: Isotex 5000 Waterproof Fabric

CODE DESCRIPTION SIZE Chandler Waterproof S-3XL RMW244 Breathable Overtrouser



LIGHTWEIGHT & COMFORTABLE

#### KEEP UP TO DATE. CHECK OUT OUR WEBSITE...

> Visit protectivewearuk.com





in )

Black

FLEECES & JACKETS



#### BERTEE INTERACTIVE FLEECE JACKET

#### The superior quality fleece.

- Soft luxurious quality fleece
- Soft cuff design: no discomfort
- Two internal pockets, and two external pockets with zip closures
- Interactive zip

BLACK

- Elasticated hem and side adjusters
- Twin stitched seams for durability
- Fabric: 100% Polyester: 300gsm

- Soft luxurious microfleece Soft cuff design for more wearer comfort
- . Two external pockets with zip closures, two internal pockets
- . Elasticated hem with side adjusters

.

- Twin needle stitched seams for durability .
- Classic and comfortable medium weight . fleece jacket
- . Matching ladies fleece 3260-30 available Fabric: 100% Polyester: 300qsm .

CODE	DESCRIPTION	SIZE
3200-30	Albatros Classic Fleece	XS-5XL







#### CODE DESCRIPTION SIZE Bertee Interactive FLJ-532 XS-5XL Fleece Jacket

Navy Black

- Soft luxurious microfleece
- Soft cuff design for more wearer comfort .
- . Two external pockets with zip closures, two internal pockets
- . Elasticated hem with side adjusters
- Twin needle stitched seams for durability .
- . Classic and comfortable medium weight
- fleece jacket
- Matching mens fleece 3200-30 available
- Fabric: 100% Polyester: 300gsm





**3 LAYER** BERTEE INTERACTIVE SOFTSHELL JACKET

NEW & MPROVED

A unique quality softshell jacket.

- High performance 3 layer softshell fabric
- Water resistant and breathable
- Interactive zip
- Adjustable cuff design
- Three external pockets with zip closures
- Internal phone pocket
- Twin stitched seams for durability
- · Elasticated hem and side adjusters
- Fabric: 92% Polyester, 8% Elastane





- Elasticated cuffs, neckline and waistband .
- . Brushed fleece inner .
- Well padded, taped neckline for comfort Half moon yolk at neck .
- .
- Set in sleeve styling. Ideal for corporate logos Triple stitched on all main seams for ultimate strength
- Matching Silverstone Polo-Shirts, Sweatshirt, and Softshells available
- Fabric: 100% Polyester






protectivewearuk.com

FLEECES & JACKET

- High performance technical fabric
- Top specification water resistant and breathable
- Very smart corporate appearance
- Very comfortable to wear
- Adjustable cuff design causes no discomfort .
- Three external pockets with zip closures .
- Internal mobile phone and twin pen pocket .
- . Elasticated hem with side adjusters
- Twin needle stitched seams for durability .
- Matching ladies 4260-50 available .
- Fabric: 92% Polyester, 8% Elastane .

CODE	DESCRIPTION	SIZE
4200-50	Tern Softshell Jacket	XS-7XL





## TERN SOFTSHELL JACKET

-ARWS

- Top specification water resistant and breathable.
- . Very smart corporate appearance
- Very comfortable to wear

- Internal mobile phone and twin pen pocket
- Elasticated hem with side adjusters
- Twin needle stitched seams for durability
- Matching mens 4200-50 available

CODE DESCRIPTION SIZE 4260-50 Ladies Tern Softshell Jacket 8-22



NS

Black Graphite Navy Red

NS NS



Black Navy

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

in

• High performance technical fabric

- .
- Adjustable cuff design causes no discomfort .
- Three external pockets with zip closures
- .
- .
- Fabric: 92% Polyester, 8% Elastane .

protectivewearuk.com





RN

DIDN

#### SILVERSTONE SOFTSHELL JACKET

The stylish softshell jacket.

- High performance technical fabric
- Water resistant and breathable
- Very smart corporate appearance
- Adjustable cuff design causes no
- wearer discomfort
- Three external pockets with zip closures
- Internal mobile phone and twin pen pocket
- Twin needle stitched seams for durability
- Fabric: 92% Polyester, 8% Elastane



CODE	DESCRIPTION	SIZE
4280-50	Silverstone Softshell Jacket	XS-5XL



- Luxurious soft feel fabric
- Double stitched seams

NS

Navy Bottle

Deep cut armholes

NS

Black

 Full front zip fastening
 Fabric: Outer: 100% Micro Polyester, Insulation: 200qsm Polyester Fibre





- Large front pocket separated into two
   compartments
- Adjustable side straps with stud fastening and self-colouring binding
- Fabric: 65% Polyester, 35% Cotton: 245gsm















#### THE ESSENTIAL SHORT SLEEVE BLOUSE

Great value blouse that performs perfectly.

- Soft collar with button up neck
- Hard wearing polycotton mix fabric
- Bust darts for a better shape
- Curved hem

CODE

5450-15

NS NS

DESCRIPTION

The Essential Short Sleeve Blouse 6-30

NS NS NS NS NS NS

Black Graphite Lilac Maroon Mid Purple Royal White Sky Teal Blue Blue

• Fabric: 65% Polyester, 35% Cotton: 105gsm

SKY

SIZE

NS

- Soft collar with button up neck
- Hard wearing PolyCotton mix fabric
  Bust darts for a better shape
- Curved hem
- Fabric: 65% Polyester, 35% Cotton: 105qsm

 CODE
 DESCRIPTION
 SIZE

 5460-15
 The Essential Long Sleeve Blouse
 6-30

NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Black	Graphite	Lilac	Maroon	Mid Blue	Purple	Royal Blue	White	Sky	Teal



SHIRTS & BLOUSES

- Smart classic styling
- Regular body fit with a generous cut
- Classic collar
- Chest pocket
- Matching long sleeve men's shirts available
- Fabric: 65% Polyester, 35% Cotton: 105gsm

CODEDESCRIPTIONSIZE5400-15The Essential Short Sleeve Shirt14"-23"

N	5	NS	NS	NS	NS	NS	NS	NS	NS	NS
Bla	ck G	raphite	Lilac	Maroon		Purple		White	Sky	Teal



- Smart classic styling
- Regular body fit with a generous cut
- Classic collar
- Chest pocket

S

- Matching short sleeve men's shirts available
- Fabric: 65% Polyester, 35% Cotton: 105gsm









#### CORPORATE SHORT SLEEVE OXFORD SHIRT

#### Smart corporate shirt.

- Buttoned down, fused stand up collar
- Centre back pleat
- Chest pocket
- Rounded hem
- Spare buttons

LEMON

• Fabric: 85% Cotton, 15% Polyester: 125gsm

LIGHT BLUE

CODE	DESCRIPTION	SIZE
KK109	Corporate Short Sleeve Oxford Shirt	14.5"-20"

NS NS NS Lemon Light Lilac Mid Blue\* Blue Navy Red NS NS \*Colour available in 14", and 21"-23". Royal Charcoal White' Blue

- Buttoned down, fused stand up collar
- Centre back pleat
- Chest pocket One button adjustable cuff with cufflink option
- Rounded hem Spare buttons
- Fabric: 85% Cotton, 15% Polyester: 125gsm

COD	E	DESCR	IPTION	l .			SIZI	E
KK1	05	Corpor Oxford		ong Slee	eve		14.	5"-20"
NS	NS	NS	NS	NS		NS	NS	
Black	Bottle	Burgundy	Silver Grev	Lemon	Light Blue	Midnight Navy	Red	



**SHIRTS & BLOUSES** 

CORPORATE LONG SLEEVE OXFORD SHIRT

CORPORATE SHORT SLEEVE LADIES OXFORD BLOUSE

- Buttoned down, fused stand up collar .
- Darts to front and back
- Rounded hem

NS NS

Royal Charcoal White

- Spare buttons
- Fabric: 85% Cotton, 15% Polyester: 125qsm

CODE	DESCRIPTION	SIZE
KK701	Corporate Short Sleeve Ladies Blouse	6-20





\*Colour available in sizes 22-26 \*\*Colour available in sizes 22-28

\*Colour available in 14", and 21"-23".

- Fused stand up collarPrincess seaming to front and back
- Rounded hem

NS

Silver Grey

Spare buttons

S

- Three button cuff
- Fabric: 85% Cotton, 15% Polyester: 125gsm

	COD	Е	DESC	RIPTIO	N		SIZE
	KK7	02		orate L es Blou		leeve	6-20
I			NS Light Blue** ilable ir ailable i			White**	



# CORPORATE LONG SLEEVE LADIES BLOUSE

FOLLOW US ON LINKEDIN FOR THE LATEST NEWS

(in)



-ARWS

#### SLIM FIT OXFORD CLASSIC SHORT SLEEVE SHIRT

Buttoned down collar shirt.

Chest pocket

CLASSIC


- Darted back panel
- Fused stand up collar
- Rounded hem
- Spare buttons
- Two button cuff

WHITE

• Fabric: 70% Cotton, 30% Polyester: 135gsm

LIGHT BLUE

CODE		DESCRIPTION	SIZE
KK183		Slim Fit Oxford Classic Short Sleeve Shirt	14"-18"
	NS		
Light	White		



Fabric: 70% Cotton, 30% Polyester: 135gsm



protectivewearuk.com

- Highly durable high quality cotton rich fabric
- Button down collar
- Fused stand up collar

Button down collarChest pocket

Rounded hem

Spare buttons Two button cuff

.

.

Darted back panel Fused stand up collar

Rounded hem

CODE

KK187

NS NS

Black Dark Light Purple Blue

- Spare buttons
- Fabric: 85/15 mercerised cotton polyester
  - 125gsm





• Highly durable high quality cotton rich fabric

NS

White

- Button down collar
- Fused stand up collar
- Rounded hem
- Spare buttons
- Fabric: 85/15 mercerised cotton polyester
- 125gsm

S





PREMIER POLYESTER CLIP-ON TIE

 $\sim$ 

in

-RAVS protectivewearuk.com









abric: 100% Polyeste

Clip on function reduced risk of choking in event
of incident
Esbric: 10004 Dolyoctor

Bertee

JUST TOUGI

DESCRIPTION T100 Premier Polyester Clip-on Tie





> SEE PAGES 6-17 FOR THE FULL RANGE

**TRY OUR VIRTUAL SERVICE MY STOCKROOM** CONTROL **YOUR STOCK** 

#### **FREES UP TIME TAKES CONTROL BOOSTS PROFITS**

- Allocate product & clothing to named persons, jobs or budgets
- Hold branded clothing in-stock at set levels for immediate issue
- Full visibility of stock available, values and employee spend levels
- Replacement stock ordered at the click of a button

5

- Tracks temporary staffing costs
- Instantly view order history: by employee, product or contractor



MY STOCKRO

#### **TO FIND OUT MORE CALL OUR FRIENDLY CUSTOMER SERVICE** TEAM ON 01752 266374



(NS) ITEM NOT STOCKED

AVAILABLE TO ORDER

**STEP ONE Choose your style!** Polos, t - shirts, sweatshirts and rugby shirts.

#### **STEP THREE**

**Decide your colour** combinations. Up to 19 standard colour options plus pantone colour matching for quantities over 250 per style.

**STEP FOUR** Choose your branding type. From quality embroidery to flexible transfers, we can offer a range of finishes.

**FIVE SIMPLE** 

TO CREATING YOUR CUSTOM

41111111111111111111111111111111

**STEP TWO** 

Select your design

options. For cuffs,

hem and pockets.

collars, sleeves, body,

MADE COMPANY UNIFORM

**STEPS** 

#### **STEP FIVE**

Call us on 01752 266374 now for a free no obligation consultation or email sales@protectivewearuk.com with your enquiry.

#### **CREATE YOUR OWN CUSTOM COLOUR** GARMENTS

For a minimum of 250 pieces per style we can pantone match fabric to your specified colour.

#### **PRINTING AND EMBROIDERY**

We use the highest quality printing and embroidery equipment to ensure we accurately represent your logo and branding. The resulting finish is second to none.

	BLACK	DARK GREY	MID GREY	WHITE	NAVY	BRIGHT ROYAL	TURQUOISE	SKY BLUE	BOTTLE	KELLY GREEN	LIME	BURGUNDY	DARK RED	RED	NEW PINK	FUCHSIA	ORANGE	YELLOW
100% Cotton 160gsm Single Jersey - For lightweight gar- ments such as t-shirts	$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		$\checkmark$		$\checkmark$				$\checkmark$		$\checkmark$		
100% Cotton 280gsm Heavy Jersey - For garments such as rugby shirts	$\checkmark$	$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$			$\checkmark$			$\checkmark$		$\checkmark$	$\checkmark$		$\checkmark$	$\checkmark$
100% Combed Cotton 200gsm Pique - For quality polo style garments	$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		$\checkmark$		$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
60/40 Cotton & Polyester 220gsm Pique - For durable & easy care polo style garments	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		$\checkmark$			$\checkmark$		$\checkmark$				
60/40 Cotton & Polyester 320gsm Sweat Fleece - For sweatshirt styles	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		$\checkmark$		$\checkmark$				$\checkmark$		$\checkmark$		$\checkmark$
100% Cotton With Needle Pattern - For cardigans & sweatshirt styles	$\checkmark$	$\checkmark$			$\checkmark$													
100% Polyester Mini fleece stretch 230gsm - Lightweight fleece for cardigans and sweatshirt styles	~				~								$\checkmark$					

#### LOW GARMENT ORDERING QUANTITIES

For standard colour options we can manufacture quantities as low as 100 items per style and 5 items per size with no maximum volume limits

#### RAPID SAMPLE GARMENT

The design of your choice using standard stock colour fabrics will be with you to evaluate within 12 working days.

#### FAST DELIVERY TIMES

Short lead times using our specialist manufacturer in Europe, which was specifically set-up for bespoke manufacturing.

#### **OEKO-TEX APPROVED MATERIALS**

OEKO-TEX ensures skin friendly garments using materials and components that are free from harmful chemicals and substances.

#### ETHICAL SOURCING

Manufactured in Europe in accordance with all current European labour regulations, controlling working conditions for employees.

#### **HIGHEST QUALITY**

Focused on top-end design and materials, and always employing noble fabrics with excellent finishing. Our manufacturing plant has been manufacturing garments for over 20 years.

STEPS -

LO

## M

CLASS 1 Minimum level of protection required for any persons working on a private road or to be used in conjunction with a higher classed garment. Must incorporate a minimum of 0.14 m<sup>2</sup> of background material and 0.10 m<sup>2</sup> of retroreflective material. (2 metres of 5 cm wide reflective tape).

There are three classes of high visible

garment based on the total area of

fluorescent material and retro-

reflective tape.


CLASS 2 Required for any persons working on or near A and B class roads, also for delivery drivers. Must incorporate a minimum of 0.50 m<sup>2</sup> of background material and 0.13 m<sup>2</sup> of retro-reflective material. (2.60 metres of 5cm wide reflective tape).



A

RIS

CLASS 3 Highest level of protection - required for any persons working on or near motorways, dual-carriage ways or airports. Must incorporate a minimum of 0.80 m<sup>2</sup> of background material and 0.20 m<sup>2</sup> of retroreflective materials. (4 metres of 5cm wide reflective tape).



RIS-3279-TOM Issue 1 has replaced GO/RT 3279. Railway Industry Standard (RIS) sets out the minimum specification for high visibility warning clothing in the Rail Industry.

#### - Limited Flame Spread materials, material assemblies and clothing

0

This standard intends to protect workers against occasional and brief contact with small igniting flames in circumstances where there is no significant flame hazard and without the presence of another type of heat.

Index 1 - garments should not be worn close to the skin Index 2 & 3 - garments can be worn close to the skin


EN343 Is the European Standard that specifies requirements and test methods applicable to the materials and seams of protective clothing against the influence of precipitation e. g. rain, snowflakes, fog and ground humidity.

Waterproofness and water vapour resistance are the essential properties to be tested.

There are 3 classes of waterproof level; Class 3 being the highest level of waterproof protection.

There are 3 classes of breathable level; Class 3 being the highest level of breathable protection.









I VIS POLYESTER AISTCOAT

## EXECUTIVE ZIP FRONT HI VIS WAISTCOAT

CODE DESCRIPTION

Yellow Orange

1151 Executive Zip Front Hi Vis Waistcoat Yellow S-6XL

1161 Executive Zip Front Hi Vis Waistcoat Orange S-6XL

HI VIS YELLOW

SIZE

ŊΥſ

- Velcro fasteningConforms to EN ISO 20471 Class 2
- Fabric: 100% Polyester







- Velcro fastening
- . Conforms to EN ISO 20471 Class 3
- Fabric: 100% Polyester

CODE DESCRIPTION Size FJ15 Polyester Long Sleeve Waistcoat S-6XL







- Zip fastening . 2 front pockets .
- 1 ID pocket
- . Double pen pocket
- Mobile phone pouch
- . Conforms to EN ISO 20471 Class 3
- Fabric: 100% Polyester .

CODE	DESCRIPTION	Size
1251	Executive Long Sleeve Waistcoat Hi Vis Yellow	XS-6XL
1261	Executive Long Sleeve Waistcoat Hi Vis Orange	XS-6XL





## **CUTIVE LONG** WAISTCOA ш HI VIS EX

**WAIST** 

#### FOLLOW US ON LINKEDIN FOR THE LATEST NEWS

HI VIS ORANGE





HI VIS PADDED BODYWARMER

**HI VIS WORKWEAR** 



1	LE
F	
	- A

- Bird's-eye knit highly breathable fabric
- Two reflective bands around body and one . over each shoulder
- Soft-knitted collar & cuffs .
- EN ISO 20471 Class 2

Yellow Orange

• Interactive quilt lined Waterproof

Elasticated arm holes

Mobile phone pocket Fleece lined collar

Front storage pockets

• Hi Vis Orange Conforms to GO/RT 3279 • Fabric: 300D PU coated polyester

PU Coated Waterproof Padded

DESCRIPTION

Bodywarmer

ЛYI

 Hand-warmer pockets • EN ISO 20471 Class 2

٠

.

.

.

CODE

B1316

Yellow Orange

- Hi Vis Orange conforms to GO/RT 3279 .
- Fabric: 100% Polyester: 150qsm

CODE	DESCRIPTION	SI
HYV834	Polyester Sportech T-Shirt	XS
NS		



SIZE

S-6XI



1111111111111



### HI VIS POLYESTER SPORTECH POLO-SHIRT



Polyester Sportech Polo RT22 XS-5XL Hi Vis Orange





FOR ANY ENQUIRIES CALL PWS ON 01752 266374

0RT//TSO

0





RTECH

**SPOI** 



#### **HI VIS SWEATSHIRT**

- CODE DESCRIPTION SIZE BSSEN S-5XL Hi Vis Sweatshirt
- JYY Yellow Orange

- Knitted cuffs
- . EN ISO 20471 Class 3
- Hi Vis Orange conforms to GO/RT 3279 . Comfortable lightweight bird eye knit highly .
- breathable fabric
- Fabric: 100% Polyester: 175gsm

CODE	DESCRIPTION	SIZE
BPKSLSEN	Long Sleeve Sportech Hi Vis Polo-Shirt	S-4XL





SHIR

0

- Twin needle stitching at neck, sleeves and hem.
- FR knitted collar with double raised rib detail for a more professional look
- Concealed 3 button placket
- Set in sleeve design for optimum fit
- Elasticated knitted FR cuffs .
- . EN ISO 20471 Class 3
- . Fabric: 60% Protal, 38% Cotton, 2% antistatic: 230gsm

CODE	DESCRIPTION	SIZE
PWS3305286	FR AS ARC Hi-Viz Long Sleeve Poloshirt	S-3XL







FOR ANY ENQUIRIES CALL PWS ON 01752 266374

(NS) ITEM NOT STOCKED AVAILABLE TO ORDER

///////





ERPROOF ACKET

HI VIS WA Bomber

AC

**IAU** 

**HI VIS WORKWEAR** 



## HI VIS TWO TONE POLYESTER FLEECE



ODE	DESCRIPTION	SIZE
2066i	Hi Vis Two Tone Hi Vis Orange/Grey Polyester Fleece	S-4XL
2061i	Polyester Railtrack Hi Vis Yellow/Grey Polyester Fleece	S-4XL





- Two-way front zip with studded storm flapKnitted storm cuffs
- . Conforms to EN ISO 20471 Class 3
- Concealed drawstring hood .
- Mobile phone pocket .
- . Fleece lined collar

Fabric: 100% Polyester: 190qsm .

CODE	DESCRIPTION	SIZE
B1305	Hi Vis Waterproof Bomber Jacket	S-6XL
	~	



Adjustable shock corded hem

ΔYß

- Lower panels are darker colour fabric to . prevent darkening of Hi Vis fabric Breathable and shower proof lightweight
- . non membrane softshell fabric
- EN ISO 20471 Class 3 .
- Fabric: 100% Polyester

CODE DESCRIPTION SIZE Hi Vis Two Tone Softshell TRA649 S-3XL Jacket





- Internal micro-fleece
- Zipped front pockets with pullers .
- Semi-concealed zipped chest pocket with puller Shock-Cord hem adjuster .
- .
- Cuff-adjuster .
- Fabric: 100% Stretch Polyester . EN ISO 20471 Class 3 .
- Hi Vis Orange conforms to GO/RT 3279

#### CODE DESCRIPTION

2100i	Hi Vis Two Tone 3-Layer Softshell Hi Vis Yellow/Grey	S-4XL
2110i	Hi Vis 3-Layer Softshell Hi Vis Orange	S-4XL





SIZE



KE1





## HI VIS PU COATED TWO TONE WATERPROOF PADDED JACKET



ODE	DESCRIPTION	SIZE
1308	PU Coated Two Tone Waterproof Padded Jacket Hi Vis Yellow/Navy	S-6XL
1306	PU Coated Waterproof Jacket Hi Vis Orange GO/RT 3279	S-5XL
	1 Di	



- Executive quilt lined .
- . Waterproof
- Conforms to EN ISO 20471 Class 3 .
- . Concealed drawstring hood
- Knitted storm cuffs and studded flap . .
- Internal breast pocket and 2 lower
- pockets with flaps Fully taped seams .
- Fabric: 100% Polyester: 210qsm .

CODE	DESCRIPTION	SIZE
BS301	Hi Vis PU Coated Waterproof Padded Jacket	XS-6XL





. Waterproof

M

Yellow

- Knitted storm cuffs .
- Two way main zip, with studded storm flap .
- . Conforms to EN ISO 20471 Class 3
- Fabric: PU coated polyester: 190qsm

CODE DESCRIPTION SIZE Hi Vis Waterproof Contrast S-3XL S466 Traffic Jacket



- Will accept an FLJ-532 Bertee fleece jacket liner
- V-shaped drop tail back .
- Two way main zip with double storm flap .
- Chin protector .
- 1 Internal pocket, and 1 internal zipped patch pocket
- Large velcro fastened bellow front pockets
- 3 panel hood .
- EN ISO 20471 Class 3 .
- Hi Vis Orange conforms to GO/RT 3279
  Fabric: Breathable 2-Layer Laminated polyester

CODE	DESCRIPTION	SIZE
1816-i	Hi Vis Breathable Mesh Lined Waterproof Jacket Hi Vis Yellow	S-6XL
1826-i	Hi Vis Breathable Mesh Lined Waterproof Jacket Hi Vis Orange	S-6XL
Yellow Orange		



TERPROOF JACKET S BREATHABLE H LINED

*IRAFFIC* 

#### FOLLOW US ON LINKEDIN FOR THE LATEST NEWS

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

٢

0

0

WATERPROOF HI VIS PU COATED CARGO TROUSERS

-REWS

protectivewearuk.com





- Elasticated waist with shock cord adjuster •
- . Velcro fastened cargo pockets .
  - Lower leg zip opening with velcro fastened storm flap
- Side pocket access
- . Hi Vis Orange conforms to GO/RT 3279 .
- EN ISO 20471 Class 1 .
- Fabric: 2-Layer laminated polyester

CODE	DESCRIPTION	SIZE
1355	PU Coated Waterproof Cargo Trousers Hi Vis Yellow	S-6XL
1365	PU Coated Waterproof Cargo Trousers Hi Vis Orange	S-6XL



Versatile Waterproof Jacket

Versatile Waterproof Trousers - Elasticated waist

- Adjustable hem Jacket: EN ISO 20471 Class 3

- Studded storm flap and welded seams - Two large front pockets and pack-away hood

Trouser: EN ISO 20471 20471 Class 1

Fabric: Transfer coated stretchy and

SIZE

XS-5XL

XS-5XL

durable polyurethane: 185gsm

PU Transfer Coated

PU Transfer Coated

DESCRIPTION

Unlined Jacket

Unlined Trouser

٠

.

٠

CODE

PUJ471

PUT471

Yellow

- 2 position stud ankle adjustment . 2 side pockets with storm flaps
- Fully taped seams
- EN ISO 20471 Class 1
- Fabric: PVC Coated Polyester

#### CODE DESCRIPTION

HY0800 PU Coated Waterproof Trousers S-4XL

SIZE







HI VIS POLYCOTTON

**CARGO TROUSER** 

-APAVS

- Water repellent and stain resistant coating
- Triple stitched seams
- Internal kneepad pockets
- Cargo pockets

Yellow Orange

- EN ISO 20471 Class 1
- Hi Vis Orange conforms to GO/RT 3279
- Leg lengths: Short, Reg, Tall

Fabric: 80% Polyester, 20% Cotton: 280gsm

CODE	DESCRIPTION	WAIST SIZE
1381	Hi Vis PolyCotton Cargo Trouser Hi Vis Yellow	28" - 54"
1383	Hi Vis PolyCotton Cargo Trouser Hi Vis Orange	28" - 54"



TAKE A LOOK AT OUR FULL RANGE ON OUR WEBSITE...









- Concealed detachable hood Stain resistant finish
- Fleece lined collar
- EN ISO 20471 Class 3
- Conforms to GO/RT 3279
- Fabric: 100% Polyester: 190gsm

CODE	DESCRIPTION	SIZE
RT62	Hi Vis Breathable GO/RT Jacket	S-3XL
_		



- Velcro fastening
  - Retromax FR reflective tape
  - EN14116 Index 1: Protective Clothing: Protection against Heat and Flame - Limited Flame Spread
  - EN 20471 Class 2
  - Fabric: EN 14116 Knitted Polyester

CODE	DESCRIPTION	SIZE
W08-0	Limited Flame Spread Waistcoat	S-5XL





•	Pull-Apart Garment - Protection Against Moving
	Parts: Quick release front, sides and shoulders
	Velcro fastening

- EN ISO 20471 Class 2 Conforms to GO/RT 3279 . .
- Fabric: 100% polyester

CODE	DESCRIPTION	SIZE
FJ14/OBRV	Polyester Railtrack Hi Vis Orange Waistcoat	S-3XL



#### WE'RE NOT JUST UNIFORM EXPERTS





**HI VIS WORKWEAR** 



彸

4

0

////

## Ø

B Convective Heat - 3 levels Radiant Heat - 4 levels D Molten Aluminium Splash - 3 levels E Molten Iron Splash - 3 levels F Contact Heat - 3 levels IEC 61482-2:2009 Protective cloth-

EN ISO 11612:2015 Protective

A1 + A2 Limited Flame Spread

clothing to protect against heat

**EN STANDARDS** 

processes

and flame

Flame Retardant Clothing

EN ISO 11611:2015 Protective

clothing for use in welding and allied

Class 1 - less hazardous, lower

levels of spatter & radiant heat

Class 2 - more hazardous, higher levels of spatter & radiant heat

ing against the thermal hazards of an electric arc - requirements EN 61482-1-2 Box Test Method

Class 1 - is to a current of 4kA arc Class 2 - is to a current of 7kA arc

EN 61482-1-1 Open Arc Method

EN 1149-5:2008 Protective clothing - Electrostatic properties Part 5.- Material performance and design requirements

#### EN 1149-3:2004 Measurement of Electric Discharge

Properties

EN 14116 Protective Clothing: Protection against Heat and Flame - Limited Flame Spread materials, material assemblies and clothing

> Index 1 - garments should not be worn close to the skin Index 2 & 3 - garments can be worn close to the skin

EN 13506 Optional heat & flame 4 second test



Chemical Clothing

#### Hi Vis

Vapour Resistance

M

#### EN ISO 20471:2013 High Visibility Clothing

There are three classes of high visible garment based on the total area of fluorescent material and retro-reflective tape.

CLASS 1 Minimum level of protection required for any persons working on a private road or to be used in conjunction with a higher classed garment. Must incorporate a minimum of 0.14 m<sup>2</sup> of background material and 0.10 m<sup>2</sup> of retroreflective material. (2 metres of 5 cm wide reflective tape).

**CLASS 2** Required for any persons working on or near A and B class roads, also for delivery drivers. Must incorporate a minimum of 0.50 m<sup>2</sup> of background material and 0.13 m<sup>2</sup> of retro-reflective material. (2.60 metres of 5cm wide reflective tape).

**CLASS 3** Highest level of protection - required for any persons working on or near motorways, dualcarriage ways or airports. Must incorporate a minimum of 0.80 m<sup>2</sup> of HA background material and 0.20 m<sup>2</sup> of retroreflective materials. (4 metres of 5cm wide reflective tape). \* Trousers must be worn in conjunction with the jacket.



EN ISO 13688:2013







Protective Clothing - General



// PROGARM

// REDD

//PWS SPECIAL HAZARD



in



TAAL LADIES NOMEX COVERALL



YALI MEN'S NOMEX Coverall

-APAVS

protectivewearuk.com

MENS



LADIES

**REDD FR AS POLO** 

in

#### EN STANDARDS

- EN ISO 11612:2008 / A1 B1 C1
- EN 1149-3:2004
- IEC 61482-2: 2009

Inherent flame retardant, anti static, ARC rated, coverall.

- · Effectively shields the wearer from the onset of body burns
- Provides a high thermal protection in relation to their weight.
- Retains their protective performance and appearance even after 200 washes Contains P-140 antistatic carbon fibre which provides a permanent effective solution to the build up of static electric charge

DESCRIPTION

Mens coverall

DESCRIPTION

Ladies coverall

 $\mathbb{A}$ 

<u>4</u>

sleeve soft handle polo shirt.

REDD YALLER AS Nomes

REDD TAAL FR AS Nomex

.

Inherent flame retardant, anti static, arc rated, long

improved coverage and protection

Ribbing of collar prevents curling

3 Button concealed placket, lay flat collar

DESCRIPTION

REDD FR AS Men's Polo

• Soft handle fabric, longline style with shaped hem for

Raglan sleeve design for greater freedom of movement

**EN STANDARDS** 

SIZE

SIZE

10 - 18

SIZE

S - 5XL

EN 11612:2008 A1 B1 C1

EN 1149-3:2004

EN 61482-1-1 • EN 61482-1-2 Class 1

XS - 5XL

CODE

RDFRNXBS

RDFRNXFBS

.

.

.

CODE

RDFRNXRK14

- Well designed and super lightweight and comfortable on the skin, so that it can be worn all day
- · Soft handle fabric, front fly, elasticated ankle band for superior comfort
- Anti-bacterial finish .
- . Excellent moisture wicking properties

CODE	DESCRIPTION	SIZE
RDFRTH/LJ	REDD FUJI FR AS Thermal Long Johns	S-5XL
Grey	( <u>h</u> )	

• Well designed and super lightweight and comfortable

Soft handle fabric, longline style with shaped hem for

Raglan sleeve design for greater freedom movement

REDD ABU FR AS Thermal

Long Sleeve T-Shirt

SIZE

S-5XL

XS-5XL

.

on the skin, so that it can be worn all day

improved coverage and protection Ribbed cuffs with thumb hole

Excellent moisture wicking properties

DESCRIPTION

Anti-bacterial finish

4



- EN 1149-3:2008
- EN ISO 13688:2013
- **EN STANDARDS**

#### EN ISO 11612:2015 / A1 B1 C1 F1

- EN 1149-5: 2008
- EN 1149-3:2008
- EN ISO 13688:2013
- The MOTI Sweatshirt has been crafted with REDD technology, offering a light, comfortable and anti-bacterial material whilst giving a high level of protection against heat and flames.
- Raglan Sleeves
- Ribbed Cuffs

.

CODE

RDFRTH/LSTS

- Long Line
- Thumb Holes

CODE DESCRIPTION SIZE RDFRRK28 REDD MOTI FR AS Sweatshirt





SPECIAL HAZARD WORKWEAR

**S THERMAL** 

MOTI SWEATSHIRT **EN STANDARDS** EN ISO 11612:2008 / A1 B1 C1 F1 EN 1149-5: 2008 EN 1149-3:2008

REDD



SABA SOFTSHELL

 $\sim$ 

- -APAVS protectivewearuk.com
- Delivering comfort through water repellant, wind resistant 2-layer softshell fabric and a storm flap.
- 2 external zipped lower pockets
- 1 zipped chest pocket
- Internal phone pocket and 2 pen pockets



#### **EN STANDARDS**

• EN 20471 Class 3 EN 11611 . EN 11612 .

EN 1149-5 . . EN 61482-2

.

- EN 13034
- Double sided fleece for warmth and comfort.
- Elasticated cuffs.
- Concealed front zip.
- 2 front side pockets with zip closure.
- Elasticated draw cord waist adjuster.
- SIZE REDD PAGO FR AS Premium Lined XS-5XL



- Unpadded lightweight jacket
- Concealed phone pocket

#### REDD FOGO FR AS HV Breathable XS-5XL Waterproof Jacket



- Effectively shields the wearer from the onset of body burns
- Provides a high thermal protection in relation to their weight.
- Retains their protective performance and appearance even after 200 washes
- Contains P-140 antistatic carbon fibre which provides a permanent effective solution to the build up of static electric charge

MENS

DESCRIPTION

**S** 






LADIES	Black	<u>نه</u> ل <u>ب</u>	$\bigotimes$
	SIZE	LEG LEN	GTHS
		Manu	Ladiac

RDFRNXCTR	REDD PICO FR AS Nomex Mens Cargo Trousers	30" - 56"	Men: Short (29") Reg (31"), Tall (33")	Ladies Short (27" Reg (29"), Tall (31")
RDFRNX902	REDD EGON FR AS Nomex Mens Kneepad Trousers	28" - 56"		
RDFRNX905	REDD LOLO FR AS Nomex Ladies Kneepad Trousers	10 - 22		

**SPECIAL HAZARD WORKWEAR** 



**SPECIAL HAZARD WORKWEAR** 



#### **PROGARM® CLOTHING**

There is no goal more important than to offer garments that provide the ultimate protection from risks and hazards in which the wearers have to work.

With this is mind, ProGARM® has developed a reputation for innovative Flame Resistant Garments in designs and fabrics that workers want to wear.

Each product is the result of extensive inhouse development in addition to feedback from end users about the features needed to set a good garment apart from the bad.

Every detail of a ProGARM<sup>®</sup> garment is carefully considered – from the super soft VXS+ fabric offering comfort previously unheard of in Flame Resistant fabrics to the zippers, the reflective tapes and even the threads. ProGARM® is the brand you and your workforce need for consistent, reliable protection day-in and day-out.

- Mandarin Collar maximum neck protection
- . Kneepad pockets - wear with kneepads for extra comfort
- Chest Pockets with zippers secure storage
- Gas monitor loop secure fixing point
- SafetyICON™ on arm visual EN Norm icon system 5 cm FR AS reflective tape - double stitched for longer life
- . Phone pocket on sleeve with flap - safe and secure .
- Velcro<sup>®</sup> secured cuff tabs close fit around wrist or aloves
- Side access pockets with flaps with entry inside coverall
- ThermSAFE™ plastic FR zipper CE certified .
- Internal elastic 2 Point adjustable waistband ensures close fit
- Triple stitched side seams lifetime quality assurance
- Easy-stretch<sup>™</sup> side panels maximum wear comfort
- Action back for improved comfort

#### EN STANDARDS

- EN ISO 11612: 2008
- EN ISO 11611: 2015
- EN 1149-5: 2008
- . EN ISO 20471:2013
- IEC 61482-2: 2009 .
- Fabric tested to BS EN 13034: 2005

DESCRIPTION SIZE 38" - 60" Reg Leg (31"/80 cm) ProGARM® 40" - 52" Tall Leg (33"/85 cm) 6444 6444 Coverall



COVERALI

GA

PR06/ 6444

- Designed and manufactured specifically for the construction and utility sector
- Good abrasion resistance for handling materials associated with power and hand tools
- Made from quality, hard wearing, supple hide leather which gives good dexterity and is breathable
- Suitable for dry handling work
- Lined for comfort and cold
- Gives protection against all thermal hazards
- Extended cuff for complete protection
- Full size range, including ladies, sizes 7 13 Colour fast dying process

CODE DESCRIPTION 2036/EX REDD NASU Lined Drivers Glove

**EN STANDARDS** EN388 3233A EN407 433221



SIZE

7 - 13

in

2
<
5
<u> </u>
$\mathbf{\mathbf{Y}}$
~
Ξ.
<b>\$</b>
œ
<
N
<
I
_
A
CIA

 $\overline{\mathbf{S}}$ 

PROGARM® 5808 JACKET

 $\sim$ 

PROGARM® 5816 TROUSER

in

-ARWS

- EN ISO 11611: 2007 . • EN 1149-5: 2008
- .

**EN STANDARDS** 

IEC 61482-2: 2009 Fabric tested to BS EN 13034: 2005

EN ISO 11612: 2015

protectivewearuk.com

- Mandarin Collar maximum neck protection Easy-Seal chest pocket flaps - not metal
- but secure
- Gas monitor loop secure fixing point
- SafetyICON<sup>™</sup> on arm visual EN Norm icon system
- 5 cm FR AS reflective tape double stitched for longer life
- Phone pocket on sleeve with flap safe and secure
- Velcro® secured cuff tabs close fit around wrist or gloves
- Side access pockets with flaps protects from debris entry
- ThermSAFE™ plastic FR zipper CE certified
- Extended back protection when bending over Triple stitched side seams - lifetime
- quality assurance Easy-stretch<sup>™</sup> side panels - maximum wear comfort

#### DESCRIPTION SIZE

**ProGARM®** 5808 Jacket

longer life

comfort

debris entry

icon system

assurance

CODE

5816

5808



• 5 cm FR AS reflective tape - double stitched for

Kneepad pockets - wear with kneepads for extra

Combat pocket with flap - safe storage space

Mobile phone pocket - keep your phone safe

Side access pockets with flaps -protects from

ThermSAFE<sup>™</sup> plastic FR zipper - CE certified

SafetyICON™ on leg pocket - visual EN Norm

Triple stitched side seams - lifetime quality

Reinforced crotch - improved longevity

Two rear pockets with flaps - secure storage space

ThermSAFE<sup>™</sup> Jeans button - Jeans style fastening

30" - 52" Reg Leg (32"/81 cm)

30" - 44" Tall Leg (34"/86 cm)

32" - 42" Short Leg (30"/76 cm)

S - 4XL

- Mandarin Collar maximum neck protection
- Kneepad pockets wear with kneepads for extra comfort
- Chest Pockets with zippers secure storage
- Gas monitor loop secure fixing point
- SafetyICON™ on arm visual EN Norm icon system
- 5 cm FR AS reflective tape double stitched for longer life
- Phone pocket on sleeve with flap safe and secure
- Velcro® secured cuff tabs close fit around wrist or gloves
- Side access pockets with flaps with entry inside coverall
- ThermSAFE<sup>™</sup> plastic FR zipper CE certified
- Internal elastic 2 Point adjustable waistband ensures close fit
- Triple stitched side seams Lifetime quality assurance
- Éasy-stretch™ side panels maximum wear comfort
- Action back for improved comfort

#### DESCRIPTION SIZE CODE

S - 4 XL, Reg Leg (31"/80 cm) ProGARM® M - 2XL, Tall Leg (33"/85 cm) 6100 6100 Coverall Short leg by rehemming



- IEC 61482-2: 2009 🚯 🖉 🛓 🏠
- PROGARM® 6100 COVERALI

- Mandarin Collar maximum neck protection Kneepad pockets - wear with kneepads for
- extra protection
- Chest pockets with flaps secure storage
- Gas monitor loop secure fixing point
- SafetyICON™ on arm visual EN Standard
- 5 cm FR AS reflective tape double stitched for longer life
- Phone pocket on sleeve with flap safe and secure
- Velcro® secured cuff tabs close fit around wrist
  - or gloves
  - Side access pockets with entry inside coverall
  - ThermSAFE<sup>™</sup> plastic FR zipper CE certified
- Internal elastic 2Point adjustable waistband ensures close fit
- Triple stitched side seams lifetime quality assurance
- Éasy-stretch™ side panels maximum wear comfort

#### DESCRIPTION SIZE

ProGARM® S-4XL, Regular leg (31"/80cm) 4690 M-2XL Tall leg (33"/85cm) 4690 Coverall



PROGARM® 4690 COVERALI

**EN STANDARDS** 

- EN ISO 11612: 2015
- EN ISO 11611: 2007 .
- EN 1149-5: 2008 . . IEC 61482-2: 2009
- Fabric tested to BS EN 13034: 2005



DESCRIPTION

5816 Trouser

**ProGARM®** 

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

#### protectivewearuk.com

-REWS

SPECIAL HAZARD WORKWEAR



**EN STANDARDS** 

EN ISO 11612: 2015 EN 1149-5: 2008

IEC 61482-2: 2009

EN ISO 11611: 2015

EN ISO 20471: 2013

GO/RT 3279 Compliant

.

٩.
S
× 4
$\sim$
~
$\sim$
-
H
_
4

 $\overline{\mathbf{S}}$ 

 $\sim$ 

-ARWS





GO/RT 3279 Compliant

- Mandarin Collar maximum neck protection
- Vertical chest pocket with zipper discreet design
- Gas monitor loop secure fixing point SafetyICON<sup>™</sup> on arm - visual EN Norm
  - icon system 5 cm FR AS reflective tape - double stitched for longer life

Phone pocket on sleeve with flap - safe and secure Velcro<sup>®</sup> secured cuff tabs - close fit around wrist or gloves

- Side access pockets with flaps protects from debris entrv
- ThermSAFE<sup>™</sup> plastic FR zipper CE certified Extended back - protection when bending over Triple stitched side seams - lifetime quality
- assurance Easy-stretch™ side panels - maximum wear comfort

#### DESCRIPTION SIZE CODE

ProGARM® 4608 S - 4XL 4608 Jacket

- Combat pocket with flap safe storage space
- Kneepad pockets wear with kneepads for extra comfort
- Mobile phone pocket keep your phone safe
- Side access pockets with flaps -protects from debris entry
- Extra wide belt look at rear prevents belt riding up
- ThermSAFE<sup>™</sup> plastic FR zipper CE certified SafetyICON™ on leg pocket - visual EN Norm icon system
- Rear pockets with flap secure storage space
- Triple stitched side seams lifetime quality assurance
- Reinforced crotch improved longevity
- 7 cm wide reflective tape Class 2 Hi-Visibility certification
- ThermSAFE<sup>™</sup> Jeans button Jeans style fastening
- 5 cm FR AS reflective tape double stitched for longer life

#### DESCRIPTION SIZE CODE

4616

30" - 54" Reg Leg (32"/81 cm) **ProGARM®** 30" - 44" Tall Leg (34"/86 cm) 4616 Trouser 32" - 42" Short Leg (30"/76 cm)



- Enclosed stud placket allows quick fastening
- VXS+ blend natural feel, comfortable and soft
- Breathable with good moisture management
- ThermSAFE™ plastic FR zipper CE certified Knitted collar with tipping - ensures best
- appearance after washing
- Contrast colour collar stylish and practical . Rib knit cuffs - close fit
- SafetyICON™ on arm visual EN Standard icon system
- 5cm FR AS reflective tape heat applied to improve flexibility

#### CODE DESCRIPTION SIZE

ProGARM® 5290 Poloshirt S - 4XL 5290

#### **EN STANDARDS**

- EN ISO 11612: 2015
- EN 1149-5: 2008
- IEC 61482-2: 2009 .
- EN ISO 20471: 2013 .
- GO/RT 3279 Compliant





- Brushed fleece inner winter warmth
- VXS+ blend natural feel comfortable and soft
- Breathable with good moisture management Round necked collar with stretch rib -
- smart appearance
- Contrast colour collar stylish and practical
- Rib knit cuffs close fit .
- 5cm stretch rib hem best fit around the waist SafetyICON™ on arm - visual EN Standard
- icon system
- Arm pocket useful pocket for phone or small items
- 5cm FR AS reflective tape heat applied to improve flexibility

#### CODE DESCRIPTION

**ProGARM®** 5648 S - 4XL 5648 Sweatshirt

#### **EN STANDARDS**

- EN ISO 11612: 2015
- GO/RT 3279 Compliant
- IEC 61482-2: 2009 • EN ISO 20471: 2013



SPECIAL HAZARD WORKWEAR

SWEATSHIR<sup>-</sup>

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

in

PROGARM®

٩ 4 **EN STANDARDS** 

.

• EN ISO 11612: 2015

• EN 1149-5: 2008

• IEC 61482-2: 2009

EN ISO 11611: 2015

EN ISO 20471: 2013

GO/RT 3279 Compliant



- Twin needle stitching at neck, sleeves and hem.
- . FR knitted collar with double raised
- rib detail for a more professional look
- Concealed 3 button placket
- Set in sleeve design for optimum fit Elasticated knitted FR cuffs
- EN ISO 20471 Class 3
- Fabric: 60% Protal, 38% Cotton,
- 2% antistatic: 230gsm

CODE	DESCRIPTION	SIZE
PWS3305286	FR AS ARC Hi-Viz	S-3XL

**EN STANDARDS** 

- EN ISO 11612: 2015
- EN 1149-5: 2008
- IEC 61482-2: 2009
- EN ISO 20471: 2013
- Elasticated waist for additional comfort
- Ripstop weave fabric with additional durability
- Two cargo pockets with mobile phone storage .
- Extra wide belt loop at rear
- . CE certified plastic FR zipper
- ٠ Triple stitched seams
- Reinforced crotch .

#### EN STANDARDS

- EN ISO 11612: 2015
- EN ISO 11611: 2015
- EN 1149-5: 2008
- IEC 61482-2: 2009

CODE	DESCRIPTION	SIZE
ABH-638	FR AS ARL	30" - 52" Reg leg (32"/81cm) 32"- 44" Tall leg (34"/86cm) 32"- 42" Short leg (30"/76cm)



#### **EN STANDARDS**

**S** 

- ISO 20471 Class 3
- EN 14116: 2015 Index 1 EN 1149-5
- CODE DESCRIPTION SIZE 542 (Yellow) LFS Anti-Static Sleeved Waistcoat S - 6XL S17-0 (Orange)



Yellow

FR AS ARC CARGO TROUSER

Navy 🚯 🔄 💆 🏠



LFS ANTI-STATIC SLEEVED WAISTCOAT

 Knitted polyester FR Velcro fastener

• Designed for multiple risk environments



**FLAME RESISTANT ANTI-**

- 3 button placket
- Ribbed collar and cuffs .
- Modaflame knit 200g
- . 4.3 Cal/cm2
- CE certified .
- . ARC1
- 50+ UPF rated fabric to block 98% of UV rays
- Outstanding colour fastness and shrinkage results
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Inherent flame resistant qualities will not diminish with washing
- Flame resistant ribbed cuff for added safety

#### EN STANDARDS

- EN ISO 11612 A1, B1, C1, F1 .
- EN 1149-5 .
- IEC 61482-2
- IEC 61482-1-2 CLASS 1





- CE certified ARC1 .
- .
- 50+ UPF rated fabric to block 98% of UV rays Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Anti-static
- Outstanding colour fastness and shrinkage results . Inherent flame resistant qualities will not diminish
- with washing
- Flame resistant ribbed cuff for added safety Protection against radiant, convective and
- contact heat
- Available in sizes up to 5XL
- Ribbed cuffs for warmth and comfort

CODE	DESCRIPTION	SIZE
FR11	Flame Resistant Anti-Static Long Sleeve T-Shirt	Navy Reg XS - 5XL Black Reg S - 3XL Grey Reg S - 3XL

#### EN STANDARDS

- EN ISO 11612 A1, B1, C1, F1
- EN 1149-5
- IEC 61482-2
- IEC 61482-1-2 CLASS 1



<u>ک</u> کے کھ

protectivewearuk.com

Ideal for workers exposed to heat in their working environment. Features on this garment include raglan sleeve, round neck, ribbed collar and cuffs, making it comfortable and easy to wear

- CE certified
- Inherent flame resistant gualities will not diminish with washing
- Protection against radiant, convective and contact heat
- ARC2
- Anti-static .
- 50+ UPF rated fabric to block 98% of UV rays .

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

- Flame resistant ribbed cuff for added safety .
- High cotton content for superior comfort .
- Available in sizes up to 4XL
- Ribbed hem for a comfortable fit
- Ribbed cuffs for warmth and comfort

CODE	DESCRIPTION	SIZE
FR12		Navy XS - 4XL Black L - 3XL

#### EN STANDARDS

- EN ISO 11612 A1, B1, C1, F1
- EN 1149-5
- IEC 61482-2
- IEC 61482-1-2 CLASS 1



LONG



0

FLAME

-ARWS



-ARWS protectivewearuk.com



Navy Black Green

R

BIZWELD COVERALI



Voted the number one favourite coverall in the welding industry, our best selling Bizweld coverall is ideal for offering complete protection to workers exposed to heat. The generous fit provides comfort and allows the wearer to work unhindered whilst ample storage space, rule pocket and concealed mobile phone pocket hold equipment securely and safely.

- CE certified
- Radio loop for easy clipping of a radio
- . Chest pockets with stud closure
- Concealed stud front for easy access
- Stud adjustable cuffs for a secure fit
- Rule pocket
- Available in sizes up to 6XL
- Concealed phone pocket
- ARC2

.

BIZ1

Royal

Grey Red Orange

- 6 pockets for ample storage
- 50+ UPF rated fabric to block 98% of UV rays
- Certified protection against molten metal splash
- Guaranteed flame resistance for life of garment
- Dual hazard protection
- Protection against radiant, convective and contact heat
- Side elastic waist for ultimate wearer comfort
- 10 pockets for ample storage
- Hook and loop cuffs for a secure fit .

Bizweld FR

Coverall

#### DESCRIPTION SIZE CODE

Navy Reg XS - 6XL, Tall S - 5XL Red Reg XS - 5XL, Tall L - 3XL Black Reg XS - 4XL, Tall M - 3XL Orange Reg S - 4XL, Tall L - 3XL Royal Reg S - 4XL, Tall L - 3XL Green Reg S - 3XL, Tall L - XXL Grey Reg S - 3XL

Breathable and waterproof, this superb flame resistant and antistatic garment provides everything you need. The fully elasticated waistband and back waist buggy maximise comfort, the braces are fitted with a quick release buckle system

- CE certified .
- Flame resistant treated waterproof fabric prevents . water penetration
- Anti-static
- . Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Premium flame resistant reflective tape
- . Unlined
- Taped seams to provide additional protection
- Zipped ankles for easy fitting over work boots
- Fully elasticated waistband for ultimate . wearer comfort
- Ergonomic quick release buckle
- Back waist buggy for added protection

SIZE CODE DESCRIPTION Bizflame Rain Orange Reg S - XXL Unlined - Hi-Vis Anti-S780 Yellow Reg S - 4XL static FR Trouser

#### **EN STANDARDS**

- EN 1149-5 .
- EN 13034 TYPE 6 . EN ISO 14116 INDEX 1/12H/40
- . EN ISO 20471 CLASS 1
- RIS-3279-TOM ISSUE 1 (Orange only) .
- . GO/RT 3279 ISSUE 8 (Orange only)
- EN 343 CLASS 3:3

Optimum protection is offered from this antistatic jacket. Flame resistance coupled with superb breathable and water resistant properties, means this garment meets the necessary stringent European standards.

- CE certified
- Flame resistant treated waterproof fabric prevents water penetration
- Premium flame resistant reflective tape .
- Chemical resistant
- Anti-static
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Fully lined and padded to trap the heat and increase warmth
- Internal chest pocket
- Storm flap front to protect against the elements
- Pack away hood for added functionality
- Radio loop for easy clipping of a radio
- Phone pocket
- Ribbed cuffs for warmth and comfort
- 4 pockets for ample storage
- Two-way front plastic moulded zip for quick and easy access
- Available in sizes from XS to 6XL
- Lined for added warmth and comfort
- Breathable, windproof and water resistant
- Taped seams to provide additional protection
- 50+ UPF rated fabric to block 98% of UV rays

#### CODE DESCRIPTION

S778	Bizflame Rain Hi-Vis Antistatic FR Jacket	Yellow Reg XS - 6XL Orange Reg XS - 4XL
------	---	--



- . EN 1149
- EN 13034 TYPE 6 .
- EN ISO 20471 CLASS 3
- RIS-3279-TOM ISSUE 1 (Orange only) .
- GO/RT 3279 ISSUE 8 (Orange only) .
- EN 343 CLASS 3:1



**SPECIAL HAZARD WORKWEAR** 

#### LOOK AFTER YOUR HANDS

> SEE PAGES 112 - 127 FOR THE FULL RANGE



Yellow Orange





01752 266374 sales@protectivewearuk.com protectivewearuk.com

## Safety Footwear

BOING	ECOS	RIGGER / WELLIES	LIGHT YEAR	TRADITIONAL	MODERN	MODERN	FOOTWEAR FEATURES	Ρι	roduct Cod	e Guide
Sizes: 4 - 14 Code: EBSB10	Sizes: 3 - 13 Code: ST250	Sizes: 3 - 13 Code: Hunter S5	Sizes: 3 - 13 Code: BX331	Sizes: 7 - 12 Code: 82023	Sizes: 5 - 13 Code: BRN/RANGER S3, WR, SRA	Sizes: 4 - 12 Code: Urban S3, SRC, ESD	Anti-Static	Category De	escription	Application
S3 HI CI HRO SRC	S3P, SRC	S5, SRC	S1P, SRC	S3, SRA	S3, WR, SRA		$\frown$	Leather and O	Ither Materials (not rubber/poly	neric)
	()3020	(70-300)	402C00	(JEQZEQ)		CIRCE CO CON	Anti-Dig Cold Insulation			All safety footwear should have toe protection. No risk to damage under foot
93000983	Sizes: 3 - 13 Code: ST300 S1P, SRC	Sizes: 3 - 13 Code: 152PP S5, SRC	Sizes: 3 - 13 Code: BX610	Sizes: 6 - 12 Code: Denver S3, SRA	420220	Sizes: 6 - 12 Code: Ready S3, SRC		Ar	Illy enclosed heel ntistatic properties nergy Absorption in the seat rea (heel)	Indoor environments where they will not be exposed to rainwater or outdoor elements.
Sizes: 6 - 13 Code: SHSZSB15 S3 HI CI HRO SRC		S, she	S3, SRC		Sizes: 6 - 12 Code: AP314CM S3,SRA	()20230 ()20230	Energy Absorbing Sole	S2 As	s S1 plus ater penetration and psorption resistance	
	()0230	(102300)	HQ2020	08 920738		Sizes: 3 - 13 Code: Braddock	Fur-Lined		s S2 plus enetration resistant midsole	Most commonly specified standard for industry.
		Sizes: 5 - 13 Code: THERMIC	Sizes: 3 - 13 Code: BX630	Sizes: 6 - 12 Code: 3100	()202()Q	S3, SRC		All Rubber or A	All Polymeric (entirely moulded)	Footwear, e.g., Wellingtons
2# #BORAREO	DEWALT Sizes: 6 - 12	S5, SRC	S3, SRC	SBP, SRA	Sizes: 6 - 12 Code: AP315CM S3, SRA	() () () ()	Heat Resistant Sole	Er	ntistatic properties nergy Absorption in the seat rea (heel) s S4 plus	SE atulaa ara ugad in araag
	Code: DE-HAM S1P, SRA	002300	HA20202	2000		LADIES	Larger Sizes Available		enetration resistant midsole	S5 styles are used in areas where there is a constant presence of water or liquids.
		Sizes: 6 - 12	Sizes: 2 - 12	Sizes: 6 - 12	(AQAQ33		Metal Free	Slip Resistan	ce	
NOT	60302	Code: Malawi S3, SRC	Code: ST650 S3, SRC	Code: BX860 S3, SRC	Sizes: 6 - 12 Code: KAB4010 S1P, SRA	Sizes: 3 - 13 Code: BX630 S3, SRC	Metatarsal Protection	te	ny product which has been sted on a ceramic tile wetted ith dilute soap solution.	Footwear that has been rated as SRA should be worn in environments where there is a low chance of slip.
SEEING	Sizes: 6 - 12 Code: DE-LAS S1P, SRC	20202020	HEDDEBOR	10202030	SIF, SHA	4090202	Penetration		ny product that has been sted on smooth steel with	If a product passes the SRA test, it can be tested to SRB
WHAT		Sizes: 5 - 12	L		()Q()Q23	Sizes: 3-7	Resistant Midsole	gl	ycerol.	rating, once it has achieved both, it becomes SRC.
YOU'RE	()0302 ()	Code: 80741 S1P, SRA	Sizes: 3 - 13 Code: BX760 S3, SRC	SPECIALIST Sizes: 6-13 Code: Force	Sizes: 6 - 11 Code: Kick S1P, SRA	Code: LT739 S1P, SRC	Oil Resistant Sole	te	ny product that has been sted under both the above anditions.	SRC rated footwear will give the best chance of preventing a slip, trip or fall. However, it is important to, design out the
	ROCK FALL	0022008	1230	S3, SRC		40023		Additional Fe	atures	risk, wherever possible.
LOOKING	Sizes: 3 - 14 Code: KPC910 SB P, SRC, CI, WR, HRO	Sizes: 6 - 12 Code: 80841		()202020 ()	400023	Sizes: 3 - 7 (NS) Code: Beatrice S3, SRC	Slip Resistant	P Pe	enetration Resistant Midsole	Midsole protection can guard against nails and other sharp protrusions,
FOR?		S1P, SRA	S3, SRC	Sizes: 6 - 12 Code: RF4500 S3, SRC	Sizes: 6 - 12 Code: Strike SBP, SRA	402073	Tubeless Rubber Sole		eat Insulation	Offers enhanced protection in challenging, hot environments.
GET IN TOUCH	900	002300	D-330	EA	0340	Sizes: 3 - 7	Ultra Lightweight	CI Co	old Insulation	Offers enhanced protection in challenging, cold environments.
TO DISCUSS YOUR NEEDS.	OFFICE Sizes: 6 - 12	WADERS	Sizes: 3 - 13 Code: BX380 S3, SRC	()202020 ()202020	Sizes: 6 - 13	Code: Elaine S3, SRC	Waterproof Membrane	WR W	ater Resistant	Can be worn in outdoor enviroments exposed to sustained wet weather and not leak.
	Code: 3993 S1P, SRC	Sizes: 6 - 12 (NS) Code: 18811 S5		Sizes: 7 - 12 Code: SS812SM S3, WR, SRC	Code: Funk S3 SRC	402022	Water Repellant Uppers	M M	etatarsel Protection	Commonly found in traffic management, or places where heavy objects are hand
01752 266374	0203	L		(JPOBAQ	()30320	Sizes: 4 - 8 Code: Elenoire S3, SRC	Zip Fastening Eco-Friendly			carried, such as breweries etc.
	Sizes: 5 - 12 Code: JDR01 S1P, SRC	<b>(2000300)</b> Sizes: 6 - 12	Sizes: 4 - 13	Sizes: 3 - 15	Sizes: 5 - 12 Code: TC35C	() () () () () () () () () () () () () (		HRO He	eat Resistant Outsole	Can be used in close proximity to hot surfaces such as freshly laid tarmac.
R	0203	Code: 18898 S5	Code: 52105 S1P, SRA	Code: RF460 S3 WR HRO SRC	SBP; SRA	Sizes: 4 - 7 Code: Evelyne S3, SRC	Wide Fit	to	5D Compliant footwear is used prevent damage to electronic imponents via an Electrostatic scharge.	Used in electronics manufacturing processes to ensure the control of electrostatic levels.
		()02300	deoeq	()POBARCO	NE/ NE/ NE/ NE/	HARDRE H	Waterproof	EN ISO 20345: This is the star tested to in Eur	ndard which all styles that are cl	assified as 'safety footwear' are

#### **EN STANDARDS**

HAND PROTECTION

The Personal Protective Equipment at Work Directive 89/656/ EEC requires employers to provide their employees with suitable Personal Protective Equipment (PPE) to carry out their work. Protective gloves are classed as PPE and must therefore be CE marked to indicate approval to the relevant standard. There are different standards to which a glove can be tested which reflect the hazard for which the glove is designed to protect against. Below is a brief explanation of these standards.

#### EN388:2016 Protective Gloves Against Mechanical Risks

This standard tests a glove against mechanical hazards such as abrasion, blade cut, tear and puncture. EN388: 2016 updates the existing standard (2003) with a new test method for abrasion, blade cut & impact resistance tests. A score of X means that the test was not carried out.

EN 388:2003	А	Abrasion Performance	Index 0 – 4
	В	Blade Cut Performance	Index 0 – 5
ABCD	С	Tear Performance	Index 0 – 4
EN 388:2016	D	Puncture Performance	Index 0 – 4
	Е	Straight Blade Performance	Index A - F
	Ρ	Impact Performance	Р
ABCDEP			

#### EN407:2004 Protective Gloves Against Thermal Risks

This standard tests a glove against a variety of heat related risks. In order to claim EN407 approval a glove must pass at least one of the heat tests. It is not compulsory to take all the tests. A score of X means that the test was not carried out.

EN 407	Λ	Flammability Performance	Index
Ny)	B	Contact Heat Performance	Index
ABCDFG	C	Convective Heat Performance	Index
	D	Radiant Heat Performance	Index
	F	Small Molten Metal Splash Performance	Index 3
		Large Molten Metal Solach	

G	Large Molten Metal Splash	Index 1
	Performance	

#### EN511:2006 Protective Gloves Against Cold Risks

This standard tests a glove against old handling risks.

EN 511	А	Convective Cold Performance	Index 0 – 4
1	В	Contact Cold Performance	Index 0 – 4
ABC	С	Water Permeability	Index 0 – 1

#### EN374:2003 Protective Gloves Against Chemicals and Micro-Organisms

EN 374-2

(in)



Gloves are tested against twelve test chemicals (A - L). In order to claim approval to EN374 (and display the pictogram) a glove must achieve a breakthrough time >30 minutes against a minimum of three of the test chemicals. The test chemicals that the glove has passed against are then shown under the pictogram.

#### EN374:2016 Protective Gloves Against Chemicals and Micro-Organisms

EN374: 2016 updates the existing standard introducing three new types with new markings and adding a further 6 chemicals, highlighted in the table below.

Type	Minimum Performance Level	Minimum number of chemicals tested
А	2 (min 30 minutes breakthrough)	6
В	2 (min 30 minutes breakthrough)	3
С	1 (min 10 minutes breakthrough)	1




	CHEMICAL	CAS NO.	CLASS
А	Methanol	67-56-1	Primary alcohol
В	Acetone	67-64-1	Ketone
С	Acetonitrile	75-05-8	Nitrile compound
D	Dichloromethane	75-09-2	Chlorinated paraffin
E	Carbone disulphide	75-15-0	Sulphur containing organic compound
F	Toluene	108-88-3	Aromatic hydrocarbon
G	Diethylamine	109-89-7	Amine
Н	Tetrahydrofurane	109-99-9	Heterocyclic and ether compound
I	Ethyl acetate	141-78-6	Ester
J	n-Heptane	142-85-5	Saturated hydrocarbon
К	Sodium hydroxide 40%	1310-73-2	Inorganic base
L	Sulphuric acid 96%	7664-93-9	Inorganic mineral acid
М	Nitric acid 65%	7697-37-2	Inorganic mineral acid
Ν	Acetic acid 99%	64-19-7	Organic acid
0	Ammonium hydroxide 25%	1336-21-6	Organic base
Ρ	Hydrogen peroxide 30%	7722-84-1	Peroxide
S	Hydrofluoric acid 40%	7664-39-3	Inorganic mineral acid
Т	Formaldehyde 37%	50-00-0	Aldehyde

#### FOOD SAFE

R

European legislation requires that food contact materials shall not transfer their ingredients to food and must not modify the colour, smell, texture and taste of the food.



ONE OF THE WORLD'S MOST ADVANCED GLOVE SOLUTION RANGES.

FOLLOW US ON LINKEDIN FOR THE LATEST NEWS



-RAVS



protectivewearuk.com



Extremely comfortable cut glove combining banksman requirements with cut resistance.

#### **APPLICATIONS**

- Superior wet gripBi-colour STOP/GO glove
- General purpose
- Light duty mechanical, engineering, finishing and inspection
- Maintenance
- Logistics & warehousing
- Primary, secondary and final
- assembly

EN 388 4 X 4 3 C	
CODE	HNBRPC4C/GR
Coating:	Palm
Colour:	Red
Liner:	Green
Sizes:	6-11
Length:	Wrist
EN388 2016:	4X43C
Silicone free:	Yes
Gauge	13

Most dexterous lightweight cut glove which gives great protection and durability to the wearer. Multitasking glove.

#### APPLICATIONS

EN 388

CODE

Coating:

Colour:

Liner:

Sizes:

Length: EN388 2016:

Gauge:

Silicone free:

- Superior wet grip
- Mechanical risk work glove
- Suited for medium cut risk
- Sheet metal handling
- General purpose waste material handling protection

HNBRPC4C

Palm Coated

Black

Green

7-11

Wrist

4X42C

Yes 18

HIGH PERFORMANCE ® **CUTF** 

NEW &

#### Look after your hands

C

CODE	HNBRPC4F
CODE	HNDRFC4F
Coating:	Palm Coated
Colour:	Black
Liner:	Grey
Sizes:	7-11
Length:	Wrist
EN388 2016:	4X44F
Silicone free:	Yes
Gauge:	13

protectivewearuk.com

Superior cut resistance combined with superb grip designed for the wearer in high cut risk areas.

#### APPLICATIONS

.

• Stainless steel core to thread giving superior cut resistance

-REWS

Superior wet grip Electronics, glass cutting, metal handling, fastening and construction

# SANDY NITRILE EXTRA CUT F GRIP FLEX GLOVE

### FOR ANY ENQUIRIES CALL PWS ON 01752 266374

EN 388

ł

4 X 4 4 F







## CUT SMOOTH NITRILE FLEX GLOVE

SANDY NITRILE CUT E W/PROOF EXTRA DEX GLOVE

 $\mathbf{X}$ 

(in)



ULTRA

LIGHTWEIGHT

AND

DEXTEROUS

#### **APPLICATIONS**

- General purpose
- Low risk building work
- Light duty mechanical, engineering, finishing and inspection
- Maintenance
- Logistics & warehousing
- Primary, secondary and final assembly

EN 388	
<u>_</u>	
$ \bigcirc $	
132A	

CODE	NCN-WG
Coating:	Palm
Colour:	Black
Liner:	Red
Sizes:	6 to 11
Length:	Wrist
Palm thickness:	1.05 mm
EN388 2016:	4132A
Silicone free:	Yes
Gauge:	13

Superior cut resistant waterproof glove with excellent wet grip for handling glass, metal sheets & small sharp components.

#### **APPLICATIONS**

- Glass handling
- Sheet metal handling
- Maintenance
- General handling Construction
- Waste material handling

EN 388 4 X 4 2 E

CODE	HNBRFCD4E
Coating:	Fully Coated
Colour:	Black/Blue
Liner:	Grey
Sizes:	8-11
Length:	Wrist
EN388 2016:	4X42E
Silicone free:	Yes
Gauge:	18

#### APPLICATIONS

- Finishing and inspection
- Handling of small components
- Maintenance
- Logistics and warehousing
- Using tools and instruments
- Wiring operations • Primary, secondary and final assembly



CODE	34-875
Coating:	3/4 dipped
Colour:	Black
Liner:	Dark Grey
Sizes:	5 to 12
Length:	Wrist
Palm thickness:	1.00 mm
EN388 2003:	4131
EN388 2016:	4131A
Silicone free:	Yes



## MAXIFLEX® ULTIMATE<sup>TM</sup> 3/4 DIPPED

HAND PROTECTION

**APPLICATIONS** 

 Mechanical work glove for Precision Handling<sup>™</sup> with cut risk in dry environments



CODE	34-8743
Coating:	Palm coated knitwrist
Colour:	Green/black
Sizes:	6 to 11
Length:	24.5 cm (Size 10)
Palm thickness:	0.80 mm
EN388 2003:	4331
EN388 2016:	4331B
Silicone free:	Yes



## MAXIFLEX® PALM COATED CUT

S

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

Mechanical work glove for Precision

AD-APT<sup>®</sup> technology reduces sweating

by 31% cooler hands versus standard

Handling<sup>™</sup> in dry environments

APPLICATIONS

aloves

## $(\mathbf{\alpha})$

Focused on innovation and quality, ATG<sup>®</sup> designs, develops and manufactures gloves that enhance the performance of the most sophisticated tool: the hand.

ATG® stands for value for money, quality, innovation, enthusiasm and a sense of competitive challenge.

Designed and developed to be the lightest, fully breathable coated glove. MaxiFlex® Elite™ completely rewrites the rules. Weighing in at a staggering 36% less and 30% thinner than traditional foam nitrile gloves MaxiFlex® Elite™ delivers a user experience that sets game changing new standards.

AD-APT<sup>®</sup> works to hands dry thanks to the use of ATG®'s integrated anti-perspirant within the glove.



<ul> <li>Breathable glove</li> <li>EN 388 EN 388</li> <li>4131 4131A</li> </ul>	42-874 Palm coated
CODE	42-874
Coating:	i ann coacea
Colour:	Grey/black
Sizes:	5 to 12
Length:	22.5 cm (Size 10)
Palm thickness:	1.00 mm
EN388 2003:	22.5 cm (Size 10) 1.00 mm 4131 4131A
EN388 2016:	4131A
Silicone free:	Yes

# MAXIFLEX® ULTIMATE<sup>1</sup> WITH AD-APT®

HAND PROTECTION

#### **APPLICATIONS**

- . Finishing and inspection
- Handling of small components ٠
- . Maintenance
- ٠ Logistics and warehousing
- . Using tools and instruments
- . Wiring operations
- Primary, secondary and final assembly .



	CODE
	Coating:
	Colour:
<pre>CELITE™</pre>	Liner:
	Sizes:
	Length:
	Palm thickness
	EN388 2003:
	Silicone free:

34-274
Palm
Blue
Blue
5 to 12
Wrist
0.75 mm
4121
Yes



#### APPLICATIONS

- Mechanical work glove for Precision Handling™ in dry environments.
- The raised dots on the MaxiFlex® En-. durance<sup>™</sup> offers increased cushioning for those doing repetitive jobs or carry heavy loads



CODE	34-848
Coating:	Palm
Colour:	Black
Liner:	Bright Orange
Sizes:	7 to 12
Length:	Wrist
Palm thickness:	1.00mm
EN388 2003:	4131
EN388 2016:	4131A
Silicone free:	No

FOR ANY ENQUIRIES CALL PWS ON 01752 266374



MAXIFLEX® ENDURANCET™ WITH RAISED DOTS

**MAXIFLEX®** 

protectivewearuk.com

-REWS



/ MAXICUT®/WP CUT 3

- PAVS



S

MAXICUT®/WP 3/4 DIPPED CUT

 $\checkmark$ 

(in)



**CU1** 

#### APPLICATIONS

- Handling ceramics
- Corrugated sheets
- Non-deburred parts, glass panels, plastics injection
- Moulds, sharp edged metal
- sheets, small sharp components
- Logistics and warehousing
- Maintenance Primary, secondary and
- final assembly



Maxi

CODE	34-304
Coating:	Palm
Colour:	Grey/Black
Liner:	Green
Sizes:	7 to 11
Length:	Wrist
Palm thickness:	1.05 mm
EN388 2003:	4331
EN388 2016:	4331B
Silicone free:	No

#### APPLICATIONS

- Cut resistant work glove for Assured Protection<sup>™</sup> in oily or wet environments
- Can be used to protect against contact . heat up to 100°C for 15 sec
- Not to be used for protection against naked flames

EN 388	
_ <u>_</u>	
$\bigtriangledown$	
4332	

CODE	34-450LP
Coating:	Palm coated knitwrist/ Leather pad
Colour:	Green/Grey
Sizes:	7 to 10
Length:	24 cm
Palm thickness:	2.50 mm
EN388 2003:	4332
EN407:	X2XXXX
Silicone free:	No



#### **APPLICATIONS**

- · Handling ceramics, corrugated sheets, non-deburred parts, glass panels, plastics injection
- Moulds, sharp edged metal sheets, . small sharp components
- Logistics and warehousing ٠
- . Maintenance
- Primary, secondary and final assembly

#### EN 388 EN 388 4331 4331B



CODE	34-305
Coating:	3/4 dipped
Colour:	Black
Liner:	Green
Sizes:	7 to 11
Length:	Wrist
Palm thickness:	1.05 mm
EN388 2003:	4331
EN388 2016:	4331B
Silicone free:	Yes

#### APPLICATIONS

- Handling ceramics, corrugated sheets, non-deburred parts, glass panels, plastics injection
- Moulds, sharp edged metal sheets, small sharp components
- Primary, secondary and final assembly



5

CODE	34-505
Coating:	3/4 dipped
Colour:	Black
Liner:	Indigo
Sizes:	7 to 11
Length:	Wrist
Palm thickness:	1.35 mm
EN388 2003:	4542
EN388 2016:	4443C
Silicone free:	Yes



## MAXICUT® OIL<sup>TM</sup> 3/4 DIPPED



## MAXICUT® ULTRA <sup>TM</sup> PALM COATED CUT 5

-RAVS



protectivewearuk.com

#### APPLICATIONS

- Cut resistant work glove for Assured
- Protection<sup>™</sup> in dry environments
- Sheet metal
- Broken glass handling
- Primary, secondary and final assembly
- Maintenance



CODE	44-3745
Coating:	Palm coated knitwrist
Colour:	Blue/Black
Sizes:	6 to 12
Length:	24 cm
Palm thickness:	1.00 mm
EN388 2003:	4542
EN388 2016:	4542C
Silicone free:	Yes

#### APPLICATIONS

- Engine and power train
- Gear box and transmission assembly
- Handling small castings
- Handling of small components
- Light metal fabrication and parts
- handling
  Primary secondary and final as
- Primary, secondary and final assembly
   Shock absorber assembly
- Shock absorber assemblyMaintenance



CODE	56-425
Coating:	3/4 dipped
Colour:	Purple/Black
Liner:	Grey
Sizes:	7 to 11
Length:	Wrist
Palm thickness:	1.30 mm
EN388 2003:	4121
EN388 2016:	4121A
Silicone free:	No



HAND PROTECTION



#### APPLICATIONS

- Engine and power train
- Gear box and transmission assembly
- Handling small castings
- Handling of small components
- Light metal fabrication and parts handling
- Primary, secondary and final assembly
- Shock absorber assembly
- Maintenance

#### EN 388 EN 388



CODE	56-424
Coating:	Palm
Colour:	Purple/Black
Liner:	Grey
Sizes:	7 to 11
Length:	Wrist
Palm thickness:	1.30 mm
EN388 2003:	4121
EN388 2016:	4121A
Silicone free:	No

#### APPLICATIONS

- Engine and power train
- Gear box and transmission assembly
- Handling small castings
- Handling of small components
- Light metal fabrication and
- parts handling
- Primary, secondary and final assembly
  Shock absorber assembly
- Shock absorber assemblyMaintenance
- EN 388 EN 374



CODE	56-426
Coating:	Gauntlet 26 cm
Colour:	Purple/Black
Liner:	Grey
Sizes:	7 to 11
Length:	25cm Gauntlet
Palm thickness:	1.10mm
EN388 2003:	4111
EN374:	Liquid proof
Silicone free:	No



## MAXIDRY® FULLY COATED

protectivewearuk.com



#### protectivewearuk.com



#### APPLICATIONS

.

.

- . Gear box assembly
- . General handling
  - Handling small castings
  - Handling of small components
- Light metal fabrication and
- parts handling
- Primary, secondary and final assembly Shock absorber assembly .
- Maintenance .





CODE	56-530
Coating:	Gauntlet - 30 cm
Colour:	Blue/Black
Liner:	White
Sizes:	7 to 11
Length:	30cm Gauntlet
Palm thickness:	1.10mm
EN388 2003:	4121
EN374-2 2003:	Level 2
Silicone free:	Yes
	•••••••

#### APPLICATIONS

- Outdoor work
- In contact with cold water or ice
- industry, e.g. delivery vehicles and internal chill units
- -10°C at high activity. Lower activity limits the thermal properties.

#### EN 511 EN 407 EN 388 ₩ 111 ₩ X1XXXX ↓ 4232

CODE	56-451
Coating:	Fully coated knitwrist
Colour:	Purple/Black
Liner:	Dark Blue
Sizes:	7 to 11
Length:	28 cm
Palm thickness:	2.00 mm
EN388 2003:	4232
EN 511 2006:	111
EN 407 2004:	X1XXXX
Silicone free:	-

#### **APPLICATIONS**

- . Cold storage
- . Transport

**APPLICATIONS** 

dling

Maintenance

.

•

.

.

.

.

.

.

EN 374-3

ľ

AKL

CODE

Coating:

Colour:

Liner: Sizes:

Length: Palm thickness:

EN388 2003:

EN374-3 2003:

EN374-2 2003:

Silicone free:

Gear box assembly

Handling small castings

Shock absorber assembly

\$

Level 3

Handling of small components

EN 374-2 EN 388

Light metal fabrication and parts han-

Primary, secondary and final assembly

L-

4121

56-630

7 to 11 30 cm

1.10 mm

4121

AKL

Level 3 Yes

Gauntlet - 30 cm

Green/black White

General handling

- Construction . .
- Forestry .
- Off-shore energy
- Airport baggage handling Shipping and receiving ٠
- General handling in cold and wet conditions, building materials, timber, refuse, engineering components



CODE	30-201
Coating:	Palm
Colour:	Grey
Liner:	Bright Orange
Sizes:	6 to 11
Length:	Wrist
Palm thickness:	2.50 mm
EN388 2003:	1241
EN511 2006:	X1X
EN407:	X2XXXX
Silicone free:	No



protectivewearuk.com



# MAXITHERM® LATEX PALM COATED

N



HAND PROTECTION

- RAVS

(in)



HAND PROTECTION

- Refrigerated facilities in the food





NITRILE POWDER FREE DISPOSABLE GLOVE

#### APPLICATIONS

APPLICATIONS

Agriculture, Automotive, Chemical, Food, Healthcare. Municipal services

COV-NG-101
Blue
S to XXL
240 mm
FDA Compliant
100



ΩÏ

Manufacturing, Municipal services, Oil & Pharmaceutical	
CODE	ANACONDA
Colour:	Black
Sizes:	S to XXL
Length:	240 mm
Food Contact:	FDA Compliant
EN 374-1:	Liquid Proof
EN 374-2:	Level 2
Box:	50

Aerospace, Automotive, Chemical, Emergency services, Food, Healthcare,




APPLICATIONS Agriculture, Automotive Jealthcare, Municipal s	
CODE	BIONITRI
Colour:	Blue degradable
Sizes:	S to XXL
Length:	240 mm
Food Contact:	FDA Compliant
EN 374-1:	Liquid Proof
EN 374-2:	Level 2
Box:	50

Place your right hand palm down on the drawing, your index finger aligned with the start of the turquoise bar. Your glove size is the number on the RIGHT of the grey line just showing or just beneath your hand.



For maximum dexterity and comfort, the glove must be neither too loose fitting, leading to imprecise handling; nor too tight, causing discomfort and restricting movement.

For the ideal form, fit and feel, you can use the guide below to help determine the size you require.



		minimum th of glove
۱m 148	3 210	
nm 160	) 220	
nm 170	230	
nm 182	2 240	
nm 192	2 250	
nm 204	260	
nm 215	5 270	
nm 227	7 280	
	Inference         Ien           nm         148           nm         160           nm         170           nm         182           nm         192           nm         204           nm         215	Inferencelengthlengthnm148210nm160220nm170230nm182240nm192250nm204260nm215270

protectivewearuk.com

- PAVS

HAND PROTECTION

**S** 

#### EN STANDARDS

EN STA	NDARDS
EN166	General Specifications
EN170	Ultraviolet Filters
EN172	Sunglare Filters for Industrial Use

#### OPTICAL CLASS

1 ± 0.06 dioptres – can be worn at all times

#### MECHANICAL RESISTANCE

	IMPACT LEVEL	MAXIMUM SPEED	TYPES OF EYE PROTECTION
Α (Τ)	High Energy Impact	190 m/s	Faceshields/Go gles/ Spectacl
B (T)	Medium Ener- gy Impact	120 m/s	Faceshields/Go gles/ Spectacl
F (T)	Low Energy Impact	45 m/s	Faceshields/Go gles/ Spectacl
s(т)	Extra strong	5.1 m/s*	Faceshields/Go gles/ Spectacl
* Extra m/s	strong, resists a 22	2 mm 43 g ball	falling 1.30 m at 5
		<i>c</i> 1	

**T** The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

#### OPTIONAL REQUIREMENTS

K	Resistance to Surface Damage by Fine Particles	
N	Resistance to Lens Fogging	
AS	Anti Scratch	
AM	Anti Mist	

#### LENS AND FRAME EN PRODUCT MARKINGS

-	1	FT	KN
- and	Optical Class	Mechanical Resistance	Optional Re- quirements
	VH	166	FT
	Manufacturer Identification	Standard	Mechanical Resistance
	KN		CE
	Optional Require	ements	CE Mark



( C

(in)

protectivewearuk.com

Safety - Clothing - Cleaning

 CODE
 2204

 Lens:
 Amber Anti-Scratch

 Frame:
 Black

 Approval:
 BS EN166 1 F:2002

 EN172 5-3.1



 BETAFIT MERANO Clear or Amber tinted Anti-Scratch Safety Eyewear, a durable lightweight favourite,

Mechanical Strength F – low energy impact protectio

wraparound single-piece lens provides uninterrupted

distinctively styled for a closer fitOptical Class 1, highest quality clear vision

Clear or amber tinted Anti-Scratch coated

• Lens shape especially designed to follow facial

Dual Technology Soft Grip Side Arms for extra

2201

Black

Clear Anti-Scratch

BS EN166 1 F:2002

polycarbonate lens

clear vision

comfort

Lens:

Frame:

Approval:

from high speed particles • Lightweight – 23grams

contours, providing a better fit

- BETAFIT MONTANA Blue Mirror Anti-Scratch Safety Eyewear offers a blue mirror tinted lens, to reduce glare in style
- Optical Class 1, highest quality clear vision polycarbonate lens
- Mechanical Strength F low energy impact protection from high speed particles.
- Blue Mirror tinted Anti-Scratch coated, singlepiece lens
- TSR compliant anti-glare tint
- Soft-grip bi-polymer arms for optimum comfort and grip
- Eyewear retainer cord included as standard
- MONTAN.

◄

- X2 Xcel Anti-Mist Safety Eyewear a close fitting single lens style offering long-life robust protection with high definition clarity
- Optical Class 1, highest quality clear vision polycarbonate lens for outstanding clarity
   Frame Mechanical Strength FT - withstands
- low energy impact from high speed particles at extreme temperatures
- Clear Anti-Mist/Fog PC wraparound lens provides high definition clarity
- Additional UV Filter blocks harmful ultraviolet rays
- Lightweight at 23g, robust protection designed for all day use
- Available in 5 options including gas welding lenses



CODE	4112
Lens:	Clear Anti-Mist
Frame:	Crystal
Approval:	EN 166 1 FT EN 170 2-1.2

#### INCREDIBLY LIGHTWEIGHT AT ONLY 22G

- Sport arms with soft flexible tips
- Available in 3 options
- Soft, flexible nose pads for day long comfort
- Clear lens conforms to EN 166 standard optional K (resistance to scratching) and N (resistance to fogging)
- High definition optics for outstanding clarity
- Microfibre pouch to protect and store



FOR ANY ENQUIRIES CALL PWS ON 01752 266374



- unique style eyewear with flexible one-piece lens and suspended side arms • Optical Class 1, highest quality clear vision
- Optical Class 1, highest quality clear vision polycarbonate lens
- Mechanical Strength F low energy impact protection from high speed particles
  - Anti-Scratch coated, one-piece flexible lens Flexible super-grip side arms ensure a very
- secure fit
  Suspended side arms to reduce pressure on the temples
- Soft nose bridge and brow pad for ultimate comfort
- Eyewear retainer cord included as standard

CODE	2502
Lens:	Clear Anti-Mist
Frame:	Black
Approval:	EN 166 1 F



protectivewearuk.com

- BETAFIT LUCERNE Smoke-Grey tinted Safety Eyewear - smoke tinted UV400 lens offer excellent protection from bright sunlight
- UV400 Smoke-Grey tinted Anti-Scratch coated, one-piece flexible lens
- TSR compliant anti-glare tint



Lens:	
	Smoke Grey Anti-Scratch
Frame:	Black
Approval:	EN166 1 F:2002
	EN172 5-3.1

ш
Z
2
ш
<u> </u>
2
<b>.</b>

EYE WEAR

-ARWS

- Designed to be worn over prescription spectacles
- Lens resistant to scratching
- Adjustable side arms
- High definition optics
- Microfibre pouch to protect and store
- CODE4001Lens:Clear Anti-ScratchFrame:Black/GreenApproval:EN 166 1 FT

## **XCEED**

(NS) ITEM NOT STOCKED

AVAILABLE TO ORDER

#### PLUS

in

- Set budget controls for employees or departments
- See your orders have priority treatment jumping the queue
- See your own special prices
- Know stock availability
- Custom built see only the products you regularly want to order?

TO FIND OUT MORE CALL OUR FRIENDLY CUSTOMER SERVICE TEAM ON 01752 266374





**XCALIBUR** 



• Low profile with nylon frame and SBR Foam face seal for ultimate

SBR Foam full face seal for ultimate comfort and protection

Additional UV Filter blocks harmful ultraviolet rays

Supplied with Microfibre storage pouch.

Nylon Frames resistant to, liquid droplets, coarse and fine dust

Ultra-strong, adjustable elastic headband for long term strength

eye protection

and comfort


particles and gas.

.

## HIGH QUALITY SAFETY GOGGLE FOR DAY LONG COMFORT

- Optical Class 1
- Close fitting for high protection levels
- Soft face seal for superb contour fit
- Soft fabric headband
- Indirect ventilation

Eiger is a ski style safety goggle with full inner face seal offering excellent all round vision.



Soft Drawstring pouch

Eyewear Retainer Cord

CODE

CODE

2903

2901

• Benchmark Anti-Scratch Fog BT Goggle Approved to EN166 & EN170

4832 Clear

Grey

EN 166 1 BT 3 4 5 EN170 2-1.2

CODE

Lens:

Frame:

**Approval:** 

CODE

Lens: Frame:

Approval:

Full goggle protectionSoft face seal for comfort



 $\sim$ 

0
S
Σ
$\mathbf{m}$

FOLLOW US ON LINKEDIN FOR THE LATEST NEWS (in)

BETAFI

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

VM6193BM30

EN 166 1 BT

EN170 2-1.2

Clear

Clear Anti-Mist Anti-Scratch

(NS) ITEM NOT STOCKED AVAILABLE TO ORDER

#### EN STANDARDS

#### ATTENUATION VALUES

SNR=32dB H=35dB M=30dB L=22d

PRODUCT STANDARDS

Ear muffs are tested to the relevant European Standards and are CE marked.

EN 352 Part 1 Ear muffs

EN 352 Part 3 Helmet mounted ear muffs

EN 352 Part 4 Level dependent ear muffs

These Regulations require all employers to assess the risks from the noise exposure at work and where appropriate, provide suitable and sufficient hearing protection for each employee exposed to noise at or above the lower action value.

The SNR is the number of potential decibels the hearing protection will reduce the noise level by once you have established the total noise if fitted correctly. If using the SNR to establish which hearing protector is suitable, it can be done by subtracting the SNR from the actual noise being produced. For example, if the noise level in a particular environment has an A weighted noise measurement of 110dbA, the hearing protection has an SNR of 30db, when wearing the hearing protections in the same environment the noise level will be reduced to 80db.

The importance of wearing hearing protection really only becomes apparent over a period of time, so assessing and wearing the correct hearing protection for your particular environment will minimize the risk of an individual losing their ability to hear properly in the future.

The exposure limits shown to the left are taken from regulation 4 of The Control of Noise and Work Regulations 2005, which are in turn based on a European Directive.



A Z Z Safety · Clothing · Cleaning // EAR MUFF WITH EXTRA SOFT FOAM EAR CUSHIONS // LIGHTWEIGHT EAR MUFF WITH EASY ADJUSTMENT

OISEBETA

5

136

EAR PROTECTION



MODEL 6000/6001 (SNR 37)

 $\sim$ 

-ARWS





protectivewearuk.com



6007

• Dispenser of model 6000 ear plugs complete with 500 pairs.

Created using unique formula slow recovery SRE foam, the Model 6000 earplug provides an excellent combination of comfort and protection. Once in the ear, the foam gently expands to provide a snug and secure custom fit.

6000/6001

#### ATTENUATION VALUES

SNR=37 dB H=36 dB M=34 dB L=33 dB

• NOISEBETA XLP Foam Earplugs a low pressure foam, bell-shaped alternative to our popular Noisebeta ear plugs.

6009

• Toolbox pack of model 6000

ear plugs 100 pairs.

CODE

- Dispenser box of 200 individually wrapped pairs
- Softer and more comfortable low pressure XLP Foam for exceptional comfort
- Dispensing box fits into HPHAPD wall dispenser - for wall mounted dispensing
- Excellent attenuation. SNR = . 34dB - high protection rating

6060 CODE

#### ATTENUATION VALUES

SNR=34 dB H=33 dB M=31 dB L=30 dB





FOR ANY ENQUIRIES CALL PWS ON 01752 266374

139

્

Metal wall mounted holder for

Safety - Clothing - Cleaning

protectivewearuk.com





ADJUSTABLE FOAM EARPODS BAND SNR26

8



- NOISEBETA Banded Earpods provide a lightweight semi-aural protection, ideal for intermittent usage
- Connecting headband allows easy fit and removal Individually packaged with 1 pair
- of replacement earpods Designed to be worn under the
- chin or behind the neck
- SNR = 20dB convenience/low protection rating

#### 6005

#### ATTENUATION VALUES

CODE

SNR=20 dB H=25 dB M=15 dB L=13 dB

- NOISEBETA Adjustable Banded Earpods are a comfortable option for when hearing protection is required only intermittently
- A more comfortable and fully adjustable version of the 6005 banded earpods
- Connecting band allows easy and fit and removal
- Designed to be worn under the chin or behind the neck
- SNR = 26dB medium protection rating

6015

CODE


BRAND

#### ATTENUATION VALUES

SNR=26 dB H=28 dB M=23 dB L=21 dB

CORDED DETECTABLE EARPLUGS

 $\mathbf{X}$ 



NOISEBETA Reusable Corded Earplugs are washable and reusable making them ideal for the frequent user

- Very soft and flexible conical flange design provides a secure fit
- No need to roll more hygienic
  Washable and reusable
- Washable and reusable
   Soft detachable cord
- SNR = 29dB medium protection rating

DE 6081

ATTENUATION VALUES SNR=28 dB H=27 dB M=25 dB L=23 dB



#### Request a copy of our Safety Footwear Chart to see all our latest styles


S.



protectivewearuk.com

#### Model 6100 (SNR 27)

- Lightweight earmuff with easy adjustment
- Durable and robust construction
- Comfortable foam ear cushions
- Approved to BS EN 352-2:2002
- Supplied in display ready packaging
- Good attenuation SNR 27dB



#### ATTENUATION VALUES

SNR=27 dB H=30 dB M=25 dB L=18 dB

 LIGHTWEIGHT EAR MUFF WITH EASY ADJUSTMENT EAR PLUGS

-ARWS

- Specially developed for MRI scanning departments and other users wearing ear phones and ear defenders
- Prevents the spread of infection
- Wraps snugly around the outside of the headphone with elastication to retain the product in position.
- Cost effective

્

- Quick and easy to fit
- Hygienic disposable
   E0 arm pap wavan palvarar
- 50 grm non-woven polypropylene material
- 500 pieces per case

CODE HE 010



#### PREMIUM DROP SHOULDER SILVERSTONE SWEATSHIRT

> SEE PAGES 26 - 27 FOR THE FULL RANGE



- Extra soft foam ear cushions
- Padded comfort headband
- Adjustable for superior fit
- Suitable for heavy industrial use
- Approved to BS EN 352-2:2002
- Excellent attenuation 32dB
- Strong metal folding sidearms



#### ATTENUATION VALUES

SNR=32 dB H=35 dB M=30 dB L=22 dB



## **EN STANDARDS** EN 149: 2001

This is the standard for disposable respirators- filtering face pieces against particles, amended in 2009.

FFP - Filtering Face Piece + 1, 2 or 3 (efficiency: low, med, high) R - reusable

NR - not reusable (single shift)

## Assigned Protection Factor (APF)

This is the level of protection a respirator can be expected to provide if it is functioning properly and the user is wearing it correctly. APF is scored via a number, allowing users to gauge how much contaminant they are expected to inhale while wearing the respirator.

### EN 12941

This European standard specifies minimum requirements for powered filtering devices incorporating a helmet or a hood with gas, particle or combined filter(s) for respiratory protection. It does not cover

• devices designed for use in the oxygen deficency environments (oxygen less than 17% by volume).

 respiratory protective devices designed for escape purposes as well. There are 3 classifications: TH1, TH2 and

TH3.

# EN 12942

in

This European standard specifies minimum requirements for power assisted respiratory protective devices which incorporate a full face mask, half mask or a quarter mask together with gas, particle or combined filter(s). It must protect the user even if the PAPR is off. The same exclusions apply as outlined above for EN 12941.

There are 3 classifications: TM1, TM2 and TM3.

### Nominal Protection Factor (NPF)

This is the theoretical level of protection of respiratory protective equipment calculated using performance data measured in the laboratory.

DESCRIPTION/ DEVICE	CLASS	NPF	APF
PAPR with helmet or hood EN 12941	TH1	10	5
	TH2	50	20
	TH3	500	40
PAPR with half	TM1	20	10
or full face mask EN 12942	TM2	200	20
	TM3	2000	40

### EN 60529

EN 60529 (British BS EN 60529:1992. European IEC 60509:1989), classifies the different levels of protection that an electrical enclosure can provide from solids and liquids as an IP rating.

The first numeral is for solids and the second for liquids. Zero stands for no protection. An X signifies that no testing has been carried out.

### EN 14594

This European standard specifies minimum requirements for continuous flow compressed air line breathing apparatus and a hood or a mask

Apparatus is graded from 1A to 4B

### EN 143

This standard pertains to the particle filters used as components in unassisted respiratory protective devices. Based on their efficiency, particle filters are divided into three categories:

P1 – low filtration, intended for use against solid particles only P2 – medium filtration, subdivided according to the filters' capacity to remove both solid and liquid particles or solid particles only

P3 – high filtration, subdivided as P2. EN 14387

This details the minimum requirements for gas filters or combined filters intended for use within a respiratory protective device.

This primarily covers the classification of filters into various types (e.g. A, B, E, and K) as well as categories (e.g. Filter classes 1, 2 and 31.

# EN 136

This standard specifies the minimum requirements for full face mask respiratory protective devices. It covers three types of full-face masks; all provide the same level of respiratory protection but have differences in terms of their applications:

CL 1: full mask for light duty CL 2: full mask general use CL 3: full mask for special use

Requirements include temperature stability, impermeability, and concentration of carbon monoxide, breathing resistance, speech diaphragms, and field of vision.

A mask is a full face piece that covers the eyes, nose, mouth, and chin and that provides the wearer with respiratory protection in the form of an appropriate seal against specific atmospheric conditions and airborne hazards. EN 166

This is the European standard covering the requirements for protective eyewear. EN 397

This standard sets out the performance and marking requirements for all PPE Helmets.

// CLEANAIR® BASIC

CA-1+

// SHORT PROTECTIVE HOOD

PERSONAL RESPIRATORY PROTECTION SYSTEMS

CleanAIR<sup>®</sup>

## **A NOTE ON FACIAL HAIR**

Many masks rely on a good seal against the face so that, when you breathe air in, it is drawn into the filter material where the air is cleaned. If there are any gaps around the edges of the mask, 'dirty' air will pass through these gaps and into your lungs. It is therefore very important that you put your mask on correctly and check for a good fit every time.

Facial hair - stubble and beards - make it impossible to get a good seal of the mask to the face.

If you are clean-shaven when wearing tight-fitting masks (ie those which rely on a good seal to the face), this will help prevent leakage of contaminated air around the edges of the mask and into your lungs. You will therefore be breathing in clean air, which will help you stay healthy.

If there are good reasons for having a beard (eg for religious reasons), alternative forms of RPE, that do not rely on a tight fit to the face, are available.





This short light hood is an optimal solution for respiratory protection and face protection in dusty and light chemical environments where no further mechanical protection is required. In combination with PAPR or airline systems CleanAIR<sup>®</sup> it reaches the highest level of respiratory protection.

- Perfectly fits various head types due to adjustable headgear
   and comfortable elastic rubber band
- Distance of the visor can be set individually, as well as the perimeter of the headgear
- Light nylon fabric and spacy cut makes it pleasant to wear even for long time work
- Wide panoramic visor with antifog coating ensures undisturbed view and provides basic mechanical protection of the eyes

ONE SIZE Lightweight: 180g

5

eanAIR






# CA1 LITE HOOD

- Disposable
- Super lightweight
- Type 5&6 approved
   material
- Clear visor
- Rear entry port
- Water repellent
- Dust protection
- Uncovered ears

HEADBAND

in





CODE	DESCRIPTION	APPROVAL	ASSIGNED PROTECTION FACTOR (APF)
72 01 12 B (Blue) 72 01 13 B (Blue) [NS]	CA-1+ With exhalation valve CA-1+ With exhalation valve	EN 12941 TH3 EN 14594 3A EN 166 1 S F EN 12941 TH3 EN 14594 3A	
72 01 13 B (Blue) [NS]	Size XL (special order) CA-1 Without exhalation valve		40
72 01 01	CA-1 Lite Short Hood (Disposable)		
SPARE PARTS			
72 01 91/30	Spare Lite Short Hood, no headband, incl connector		NA
72 01 92/100	Spare Lite Short Hood, no headband, no connector		NA
72 00 01	Adjustible Head Band for Lite Hoods		NA
72 00 05	Rear Entry Port Connector		NA

# APPLICATIONS

BLUE

- Dusty environments without the necessity to protect neck and shoulders
- Environments with low chemical resistance requirements





RESPIRATORY

- Water repellent • Dust protection
  - Covered ears

**CA2 LITE HOOD** 

• Disposable

material Clear visor Rear entry port

• Super lightweight

• Type 5&6 approved





CODE	DESCRIPTION	APPROVAL	ASSIGNED PROTECTION FACTOR (APF)
72 02 02	CA-2 Long Hood	EN 12941 TH3 EN 14594 3A EN 166 1 S F	40
72 02 01	CA-2 Lite Long Hood (Disposable)	EN 12941 TH3 EN 14594 3A	
SPARE PARTS			
72 02 91/15	Spare Lite Long Hood, no headband, incl connector		NA
72 02 92/100	Spare Lite Long Hood, no headband, no connector		NA
72 00 01	Adjustible Head Band for Lite Hoods		NA
72 00 05	Rear Entry Port Connector		NA

This long lightweight hood ensures respiratory protection and protection of the head, neck and shoulders in dusty environments where no further mechanical protection is required. In combination with PAPR or airline systems CleanAIR® it reaches the highest level of breathing protection.

- Perfectly his various nead types due to adjustable headgear and comfortable elastic tubber band.
  Distance of the visor can be individually set, as well as the perimeter of the headgear.
  Light nylon fabric and spacy cut makes it pleasant to wear even for long time work
  Wide panoramic visor with **antifog coating** ensures undisturbed view and provides basic mechanical protection of the eyes.
  Weight: 250 g

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

AREAS OF APPLICATION Dusty environments

Painting operations

Chemical spraying

Laboratories

Chemical environments

Pharmaceutical industry

148

BLUE



-APANS

 $\sim$ 

AREAS OF APPLICATION

- Dusty environments . Chemical environments
- Painting operations
- Laboratories
- Pharmaceutical industry Environments with hig .
- chemical resistance requirements Chemical spraying

This chemically resistant hood combines respiratory protection with protection of the head, neck and shoulders in the most demanding chemical environments. Used with PAPR or airline systems CleanAIR®, it reaches the highest level of breathing protection.


Approval:	EN 12941 TH2 EN 14594 2B EN 397 EN 166 A
Assigned Protection	40
En atom (ADE)	

70 41 00

Factor (APF):

- Light laminated fabric with taped seams can be decontaminated and gives increased durability Very light and comfortable due to inner antiseptic fabric which absorbs sweat and creates an additional
- Distance of the visor can be individually set along with
- Wide panoramic visor with **antifog coating** ensures undisturbed view and provides basic mechanical protection. Weight: 225 g

in



Earmuffs • No. 12 for CA-40G • Weight: 300 g 70 40 42 CODE

ATTENUATION VALUES SNR=31 dB H=32 dB M=29 dB L=21 dB **EADTOPS** RESPIRATORY

HARD

HAT

-ARWS

protectivewearuk.com

- Highly demanding environments
- Grinding and other kinds of surface finishing operations
- Automotive industry Shipbuilding
- Building construction
- CleanAIR®



(NS) ITEM NOT STOCKED AVAILABLE TO ORDER

SAFETY HELMET COMPATIBLE





Light universal faceshield providing the highest comfort and safety

- Highest level of breathing protection TH3
- Enhanced inner air flow regulation . Clear and undisturbed view of the highest quality (class 1 according to EN 166] with
- anti-fog/anti scratch coating Visor provides high mechanical resistance
- Compatible with saftey helmet .
- . Easy to use and maintain
- .
- All spare parts quick and easy to remove to enable fast and simple maintenance
- Comfortable .
- Lightweight: 380 g

GREY

# **AREAS OF APPLICATION**

- Many kinds of grinding and other •
- surface finishing operations.
- Building industry . .
  - Shipbuilding Automotive

CODE

BLUE

The full face mask Shigematsu GXO2 uses a double seal flange which provides maximal seal while keeping a high level of comfort for the wearer.

- Wide panoramic visor
- Speech diaphragm facilitates communication. Specially treated exchangeable polycarbonate visor guarantees high scratch resistance.
- Mask body is made from high quality silicone which guarantees high resistance and a long operation life.
- Six point head harness ensures secure and easy fit.
- Standard connection thread RD40×1/7"
- Two exhalation valves for low breathing resistance
- Weight: 610 g



**AREAS OF APPLICATION** 

- Chemical industry
- Laboratories
- Building industry •
- Remediation operation

CODE	71 06 00 S/M/L [NS]
Approval:	EN 136 CL3 EN 12942 TM3
Assigned Protection Factor (APF):	40



## CleanAIR<sup>®</sup> Duffle Bag

- Safe transport and storage
- High quality materials .
- Reinforced bottom for greater durability.
- Adjustable, padded, shoulder strap.
- Roomy main zippered compartment •
- Large front pocket. . · Lightweight and versatile

Dimensions: 250×250×520 mm

70 00 07



DUFFLE BAG CLEARNAIR®

-REWS

**V SHIGEMATSU GX02** 

(in)

RESPIRATORY



CleanAIR

 $(\mathbf{x})$ 

DECONTAMINABLE

BELT

- Electronic system of constant airflow Audiovisual alarm Indication of filter clogging and battery charge Newly designed LED control panel
- Simple one-button operation
- New and easy click-lock system of attaching the filter cover

- Ergonomic design and low weight only 980 g

- - Heavy Duty battery: 20 hours
- Short battery recharging time < 3 h (std)
- Adjustable airflow (160 lpm and 210 lpm)
- Audiovisual and vibrating alarm indicating low airflow and low battery charge
- Simple control with only one button
- Unique solution of the filter sealing which provides a perfect unit seal after every change of the filter

## **AREAS OF APPLICATION**

- Welding, grinding & surface finishing operations Dusty industrial
- environments Automotive and ship
- building industry
- Construction
- Food processing industry

- Dusty industrial
  - environments with contaminants in the form of gases and vapours
- Automotive industry

**AREAS OF APPLICATION** 

- Shipbuilding industry
- Welding, grinding & surface finishing operations
- Building industry

CODE

30 00 00 DA

30 00 00 PA

**SPARE PARTS** 

30 00 10/02

30 03 64

30 03 57

31 00 13

30 00 92

33 00 92

31 00 23 [NS]



DESCRIPTION





battery, particle filters, flow indicator	EN 12941 115
CleanAIR® AerGO® incl. belt, charger, standard battery, particle filters, flow indicator	EN 12941 TH3
Set of particle filters P R SL CleanAIR® AerGO® (2 pairs) (against particles in the form of solid and liquid aerosols)	EN 143, EN 12941, EN 12942
Combined filter AerGO® A1B1E1P R SL (set of 2 pcs)	EN 14387, EN 12941, EN 12942
Filter AerGO A1P R SL (pack of 2 pcs)	EN 12941
Standard Battery, 14,4V / 2,6Ah	NA
Heavy Duty Li-Ion Battery, 14,4 V / 5,2 Ah	NA
Comfort padded belt (see page 156)	NA
Decontaminable Belt (see page 156)	NA



CODE DESCRIPTION **APPROVAL** CleanAir® Basic including multi plug (EUR, UK, US, AUS) battery EN 12941 TH3 81 00 00 NU charger, Li-lon battery, particle filter and flow indicator CleanAir<sup>®</sup> Basic including **belt**, multi plug (EUR, UK, US, AUS) EN 12941 TH3 81 00 00 PA battery charger, Li-lon battery, particle filter and flow indicator **SPARE PARTS** 800010/2 EN 143, EN 12941, Particle filter P R SL (set of 2 or 20 pcs) 800010/20 EN 12942 81 00 17 CleanAir Basic Battery Li-Ion 7,2 V / 4,4 Ah NA 71 00 93 Comfort padded belt, Standard [see page 156] NA Comfort Padded Extended Belt, Standard (see page 156) 71 00 93L [NS] NA 51 00 51 Decontaminable Belt (see page 156) NA



CHEMICA 2

> IP RATED 64, 65 <u>& 6</u>

> > AREAS OF APPLICATION

Pharmaceutical industry

Remediation operations

Chemical industry

Laboratories

**NOTE:** Can be used for asbestos removal applications if worn in conjunction with the Shigematsu GX02 full face mask - see page 153

- Compact design and low wei
- High mechanical and chemical res
- Increased ingress protection allows decontamination by shower or even full immersion (IP64/IP65/IP68)
- Unique automatic closing system
- Advanced electronic system for warning the wearer
- Full colour TFT display clearly shows all the relevant
- Individual working modes HOOD / MAS
- IAirflow 120–235 lpm

CleanAIR

 ILi-lon battery and quick battery charger (charging time < 3 h)</li>




Chemical 2F can be used for asbestos removsal when used in conjuction with the Shigematsu GX02 Full Face Mask. See page 151.

# -

DECONTAMINABLE HARNESS

### Decontaminable Hypalon Harness

- Made of synthetic rubber "Hypalon"
- Smooth surface with no edges for easy decontamination



RESPIRATORY

HEAVY DUTY

MAXIMIZED WATER INGRESS PROTECTION IP68

The thought-out design with a smooth surface allows easy

decontamination by the shower or even full immersion.

ALAUNAIR Part



STANDARD

ATAIN Particle Tiltor PSI

FOLLOW US ON LINKEDIN FOR THE LATEST NEWS

**S** 

Powered air purifying respirator specially designed for protection of healthcare workers, emergency teams or other professionals facing biological and viral contamination.

- Compact design, low weight

- Unique automatic closing system High mechanical durability and chemical resistance Individually adjustable airflow 120-235 lpm Full colour TFT display



### AREAS OF APPLICATION

- Health care and emergency response
- Laboratories and pharmaceutical industry



### **READY TO WORK SET**





CODE	DESCRIPTION	APPROVAL
51M000FC [NS]	CleanAIR MedicAER with accessories (battery, comfort belt, air hose QL, charger EUR) in a transport case	EN 12941 TH3
51M000FD [NS]	CleanAIR MedicAER with accessories (battery, hypalon belt, air hose QL, charger EUR) in a transport case	
51M100FDH [NS]	Ready 2 Work set – CA MedicAER and CA-10 in duffel bag CA	
51M100FDH.1 [NS]	Ready 2 Work set - CA MedicAER and CA-10, P3 filters, in duffel bag CA )	



1

2

3

protectivewearuk.com

BELTS

HOSES

Broad padded back with solid belt efficiently spreads the weight of the unit.

- Easy to click buckle.
- Washable.

)	
d	(Ba
t,	Sta

Comfort padded belt (AerG0®)	30 00 92
Comfort Padded Belt, Standard (Basic / Chemical 2F)	71 00 93
Comfort Padded Extended Belt, Standard (Basic / Chemical 2F)	71 00 93L [NS]

**COMFORT BELT** 

I	Decontaminable PVC belt <ul> <li>Suitable for asbestos removable</li> <li>Smooth surface with no edges for easy decontamination</li> </ul>	
1	Decontaminable Belt (AerG0®)	330092
2	Decontaminable Belt (Basic / Chemical 2F)	51 00 51

1

2

CleanAIR



Con	Connection to Headtops		
1	Light Flexi QuickLOCK™ Hose (QuickLOCK™ - CA40x1/7")	71 00 60	
2	Light Flexi QuickLOCK™ Extended Hose (QuickLOCK™ - CA40x1/7")	71 00 60L [NS]	
3	Rubber QuickLOCK™ Hose (QuickLOCK™ - CA4Ox1/7")	71 00 86	
4	Rubber QuickLOCK™ Extended Hose (QuickLOCK™ - CA40x1/7")	71 00 86L [NS]	
Connection to Masks only			
5	Rubber hose (CA-40x1/7" - CA-40x1/7", 90° extended) (Chemical 2F only)	70 00 86RL [NS]	



RESPIRATORY



71 00 62F [NS] CODE

Flameproof protective sleeve

Chemical resistant protective sleeve

 Chemical resistant Made of Tychem-F ٠


CODE 70 00 62C [NS]

 $\sim$ 

PRODUCT **OVERVIEW** 



RESPIRATORY



20

APF

10

10



-APAVS

protectivewearuk.com

**JBLS 200 SERIES FILTERS** 

BLS 8000 SERIES REUSABLE / FULL FACE MASK

BLS







Face seal	

- RD40 connection (universal)
- Anti-fog
- Glass visor/polycarbonate option

CODE	VISOR	FACE SEAL
BLS 3150	Polycarbonate	EPDM
BLS 3150V	Glass	EPDM

- Class 3 device
- Face seal
- RD40 connection (universal)
- Face piece in silicone
- Anti-fog
- Visor (live visor)
- Harness (comfort)
- CODE FACE SEAL
- BLS 5400 Silicone

**BLS FFM FILTERS** 

in

**BLS 5000 SERIES** SINGLE FILTER REUSABLE / FULL FACE MASK



- RD40 connection (b-lock)
- Activated carbon
- Colour codes

LARGE CAR	TRIDGE FILTERS	5
CODE	PROTECTION	APF
BLS 401 Dust	P3 for FFM	40
BLS 421 Dust/ Vapour	A2P3 R	20
BLS 425 Dust/ Vapour	ABEK2P3 R	20

NOTE: 400 series filters are to fit 3000 & 5000 FFM.

- Store your BLS respirator kit safely.
- Clear transparent box with lid and handles to secure the lid. • Handy label gives the capability to
- personalise the kit to team members as well as scheduling and recording maintenance checks.

FOR ANY ENQUIRIES CALL PWS ON 01752 266374

• 3 litre capacity Made of ABS plastic

Face seal

 Anti-fog • Visor (live visor) Harness (comfort)

CODE

BLS 5700

Bayonet connection (b-lock)Face piece in silicone

FACE SEAL

Silicone

CODE RSL-SS



-APAVS

protectivewearuk.com



**ARESPIRATOR** SAFESTORE

RESPIRATORY

SERIES CUP S MASK BLS 03

BLS ZERO

RESPIRATORY

1

Tero

MADE IN ITALY

2

# **BLS CUP SHAPED MOULDED MASKS**

- Disposable means no maintenance records are required
- Approved to EN149:2001+A1:2009

# ANATOMIC

- Pre-formed cup and elastic support makes an easier and reliable fit. Adapts to different face shapes, ensuring an excellent
- hold.
- Excellent visual field.
- Great compatibility with glasses.

# ARMOR

- External layer ensures protection of filtering material from dirt, dust and liquids.
- Extends and preserves filtering efficiency.
- Makes the device safer.



8







EOLO VALVE

Drastically reduces

breathing resistance.

Allows an air passage

30% higher than

classic valves.



Along with the face seal, it secures the fit of the respirator to the upper nose.



# EOLO Valve

# **INNER FACE SEAL**

- Foamy strip guarantees maximum protection, fit, and comfort.
- Avoids air flows passing through unsealed borders.
- Partial (sealing the upper nose) or complete.
- Inner Face Seal

- 0 BLS CLASSIC SERIES MOULDED MASK BLS129W 2

BLS129BW

- Facepiece with part gasket face seal
- Nose clip
- Available with welded elastic straps

CODE	FACE SEAL	APF
BLS 129BW	Upper	10
BOX QTY	APPROVAL	
15	FFP2 R D	



Nose Clip Welded Elastic

5

**APPROVAL** 

FFP3 R D

FFP3 R D

APF

20

20

Welded Elastics

Ultrasonic welded elastics eliminate the exposed metal parts.

Made of hypoallergenic

latex-free material.











CODE

BLS 030

BLS 031

GASKET

Part

Full

protectivewearuk.com



- UNIFIT FFP3 Valved Mask the 5030V is a cleverly designed premoulded mask for excellent all-round protection
- Assigned Protection Factor [APF] = 20 x Workplace Exposure Limit [WEL] for ultimate protection against very fine dusts and mists Colour coded head strap for ease of identification
- Slim profile exhalation valve helps prevent heat build-up inside the mask
- Free running elastic strap allows secure fit
- Complete bonded foam inner face seal for extra comfort and to minimise inward leakage Preformed nose bridge removes the need for
- a metal nose-clip

CODE	5030V
Approval:	EN 149:2001 A1:2009
APF:	20



- Face Fit Test Kit in a sturdy CARDBOARD carry case
- 1 x Test Hood
- 12 x 2.5ml Ampoule Bitrex® Sensitivity A Solution
- 12 x 2.5ml Ampoule Bitrex® Test B Solution
- 2 x Nebulisers
- Instructions for use

OLTK4



# BRANDED UNIFORM DISPOSAL

Corporate identity theft is rising rapidly in this country. Are you aware of the damage this can do to your company image and reputation?

Branded clothing is regularly disposed of through normal waste collection methods or through charity schemes. However this method of disposal is open to abuse where clothing is either sold or stolen and worn in criminal activities to gain authenticity. Throughout this activity your company name is clearly displayed. These incidents are then often advertised through local or national press resulting in very negative publicity associated with your company.

# **Environmental Responsibility**

Larger companies look for green credentials when selecting suppliers to work with. Clothing currently is mostly sent to landfill to be disposed of; this is not environmentally friendly, besides landfill site capacity is reducing and waste is having to be transported further distances adding to the environmental damage.



# We Have The Solution

In order to meet the need of both secure and environmental clothing disposal, we have negotiated the ultimate solution that:

- Destroys branded uniform by shredding
- Recycles the material in to acoustic insulation where possible
- Provides Certificates of Destruction
- Offers a collection service of redundant uniform

# This service is available now for the follow items of clothing:

- Trousers, jackets & skirts
- All t-shirts, shirts & blouses
- Coveralls
- Fleeces & softshells
- All hi vis garments

 $\sim$ 

- APAVS

171

# Safety · Clothing · Cleaning

# // NEXUS HEIGHTMASTER INTEGRATED EYEWEAR

# EN 397: 2012 Industrial Safety Helmets

This standard sets out the performance and marking requirements for all PPE Helmets. The protection provided to the wearer is against falling objects, which could cause brain or skull injury.


## Mandatory Tests

Impact Penetration Flammability (F) **Optional Tests** 

Resistance at Extreme Temperature Electrical Properties Lateral Deformation (LD) Molten Metal Splashes (MM)

### EN 12492 Specialist Mountaineers Helmets

This includes standards on helmet retention to ensure the helmet is not inadvertently removed as well being applicable to wearers working at height.



 $\bigotimes$ 

EN 50365: 2002 Insulating Helmets for use on Low Voltage Installations

EN12899-1 Ra2 Reflective Stickers

This standard deals with the reflective performance of hi-vis stickers applied to helmets.







added stability and comfort.
 Chinstrap side adjusters for improved wearer fit and comfort
 CODE DESCRIPTION

added stability, security and comfort.

 S16EHVYLF
 Slip Ratchet, Vented Helmet, Hi Vis Yellow

 S30LY
 EN 397 Chinstrap (order separately)

Centurion's multi award winning helmet combines advanced industrial safety standards with modern

recreational styling including a 4-point chinstrap for

• SecurePlus 4-point quick release chinstrap for

Centurion's pioneering Nexus HeightMaster Safety Helmet combines advanced industrial safety standards with modern recreational styling – including a replaceable 4-point adjustable EN 12492 Chinstrap for working at height and a HeightMaster Liner for improved impact and penetration protection.

- Nexus Liner provides extra shock and penetration protection according to EN 12492
- Colour coded chinstrap with EN 12492 standard printed for easy identification, easily replaceable for improved hygiene
- Chinstrap side adjusters for improved wearer fit
   and comfort
- Polyester webbing ensures that it doesn't catch on workwear velcro.

### E DESCR

S16EHVOFMR	Wheel Ratchet, Vented Helmet, Hi Vis Orange
S30NY	EN 12492 Chin Strap (order separately)
S30NL	Nexus Liner (order separately)

# Nexus Integrated– Fitted With Integrated Eyewear

Centurion's multi award winning helmet fitted with integrated moulded eye protection combines advanced industrial safety standards with modern recreational styling.

 Pre-installed Clear safety spectacles to Optical Class 1

 Available on Nexus Core, SecurePlus and Heightmaster variants

: DESCRIP

S16EWFMR589 Wheel Ratchet, Vented Helmet, White

S30NY EN 12492 Chin Strap (order separately)

Centurion's pioneering Nexus Core safety helmet combines advanced industrial safety standards with modern styling. 

- Modularity as standard. Simply by adding accessories, you can have one helmet style on site, with accessories to comply to different tasks.
- High performance ABS material and creative design enables -40°C low temperature performance, lateral deformation and optimal strength to weight ratio allows for a strong, protective helmet.
- Optimised "Micro" peak providing maximum upward visibility.
- Fully removable and adjustable EN 397 (Secure Plus) or EN 12492 (Heightmaster) 4 point chinstrap accessories available for increased wearer comfort and hygiene.
- Premium Dry-Tech sweatband as standard for maximum comfort.

Please note that all reflective self adhesive stickers are not included and are to be ordered separately.

S16EBLF

CODE	DESCRIPTION	APPROVAL
S16E*LF	Slip Ratchet, Vented Helmet * Insert colour of helmet, i.e., W for white	EN 397 LD MM -40°C EN 50365
	ACCESSORIES	
S30NL	Nexus Liner	EN 12492
S30LY	EN 397 Chinstrap	EN 397
S30NY	EN 12492 Chin Strap	EN 12492
S30*NHIRS	High Intensity Reflective Stickers * Insert colour of sticker, i.e., S for silver	EN12899-1 Ra2
5589	Clear Moulded Spectacles	EN 166 1 F EN 170 2C-1,2
S589SE	Smoke Grey Moulded Spectacles	EN 166 1 F EN 172 5-3,1
NS NS NS	NS NS NS NS NS NS NS	

White Black Red Yellow Orange Green Light Black Grey High High Blue Visibility Visibility Orange Orange Orange Orange Orange

# MEXUS HEIGHTMASTER

INTEGRATED

# WORKPLACE FIRST AID STANDARDS

### BS 8599-1: 2011 Workplace First Aid Kits

This standard published by the British Standards Institute specifies the contents of workplace first aid kits. The size of the first aid kit required

is a combination of the level of risk and the number of employees in the workplace Low risk environments include

offices, libraries, shops etc.

High risk workplaces include engineering, processing, warehousing, construction and manufacture.


### The Health and Safety (First-Aid) Regulations 1981

HSE kits have a filling which complies with the HSE recommendations.


The decision on what to provide will be influenced by the findings of the first-aid needs assessment. Safety · Clothing · Cleaning

WITH EYE WASH

Satety-Citothing -Cleaning WORKPLACE First Aid and EyeWash Kit



# **CHECK OUT OUR WEBSITE!**



# OUR WEBSITE IS JUST A CLICK AWAY!

# FIND OUT WHAT MAKES PWS...

We deliver an optimal solution for cost-effective Workwear & PPE by focusing upon value for money and innovative new technology.

# WHY CHOOSE PWS...

PWS provide a comprehensive bespoke service to all of our clients to deliver a high quality corporate image. We provide excellent value for money and a wide range of garment collections to suit any budget.



# VIEW OUR UNIQUE PRODUCT RANGES...

# Visit us online today at protectivewearuk.com

- Comprehensive selection (55 pieces) of First Aid including Eye Wash, Plasters, Dressings, Variety of Bandages, Wipes and Gloves.
- Contains 500 ml of sterile normal saline in sealed, disposable container where immediate access to running water is not available.
- Uses AeroPlast plasters with SUPA-BOND adhesive – the best in bandage performance worldwide
- Supplied in a robust moulded highly visible orange plastic case with hinged lid and carry handle for high portability and durability.
- Fully stocked to comply with HSE regulations for up to 10 persons.
- Internal clip secures eyewash in place and helps to keep stock organised, easy to use and manage.





protectivewearuk.com

J.P.WS

CODE	AKN10EW
Approval:	HSE Compliant
Contents:	55 pieces

• Aesthetically superior case featuring internal dividers for maximum organisation.

- Supplied with a wall hanging bracket.
- Tabs for security seals.
- Filled with quality Aero brand components ensuring the highest level of care for your
  personnel in time of emergency.
- Available in three sizes, small, medium and large





MEASUREMENTS	MEASUREMENTS
3	

- 2. CHEST: Mea
- **1. BUST:** Measure around the fullest part.
- **2. WAIST:** Measure around the natural waistline.
- **3. LEG LENGTH:** Measure from top of inside leg to the required length.
- **1. COLLAR:** Measure around the base of neck and make sure the tape fits comfortably.
- **2. CHEST:** Measure the fullest part of the chest normally under the arms.
- **3. WAIST:** Measure around the natural waistline.
- **4. LEG LENGTH:** Measure from top of inside leg to the required length.



Work Clean, Work Safe, Look Smart.



Drive up safety standards with our experience in protective equipment.
Stand out with our quality workwear & corporate clothing.
Clean up your world with our professional cleaning products.



10 Darklake View, Estover, Plymouth PL6 7TL Call 01752 266374 Fax 01752 206518 Email sales@protectivewearuk.com Visit protectivewearuk.com